




County Tables

8 County Tables



The goal of the Minnesota State Epidemiological Profile is to depict ATOD consumption and consequence patterns statewide. Acknowledging the vast demographic differences among Minnesota's 87 counties, we present data available at the county level in this section. **Please use caution when comparing data from one county to another.** County size, demographics and other population characteristics must be taken into account when seeking to compare counties. Only compare counties if you have sufficient independent research to determine similarities among counties. Consult your local epidemiologist or evaluator for assistance.

Much of the available county-level data comes from the Minnesota Student Survey. It is important to note that county data may not necessarily represent local school districts.

Minnesota Student Survey Data Privacy requirements mandate that data is presented in a manner such that no individual student can be identified through the presentation of the results. As part of the Data Privacy practices, the results are also presented in a manner that no individual school district could be identified through the results.

Therefore, for counties that have only one school district, the results are not presented. Results are also withheld for counties in which the minimum number for student participation was not met.

Minnesota Student Survey Data by local school district may only be obtained through the school district. For district level Minnesota Student Survey data, please contact your district superintendent.

Substance: Alcohol

Data Source: Minnesota Student Survey

STUDENTS REPORTING ANY USE OF ALCOHOL IN THE PAST 30 DAYS, BY COUNTY

	6TH GRADE		9TH GRADE		12TH GRADE	
	Male	Female	Male	Female	Male	Female
AITKIN	3.1%	0.0%	39.6%	40.0%	49.1%	47.1%
ANOKA	4.6%	4.8%	22.3%	28.5%	45.4%	45.9%
BECKER	4.5%	1.5%	30.9%	28.7%	58.3%	46.4%
BELTRAMI	14.1%	10.7%	34.7%	34.9%	41.3%	54.1%
BENTON	4.7%	3.9%	25.1%	34.1%	55.0%	48.0%
BIG STONE	0.0%	13.0%	38.1%	54.2%	67.7%	66.0%
BLUE EARTH	4.3%	3.5%	26.5%	31.7%	48.8%	50.2%
BROWN	6.1%	2.8%	38.5%	45.0%	62.2%	53.5%
CARLTON	3.4%	8.8%	20.3%	26.6%	38.2%	41.9%
CARVER	5.1%	4.7%	19.4%	25.7%	55.1%	52.2%
CASS	10.3%	11.7%	30.3%	45.1%	58.1%	54.7%
CLAY	4.1%	3.4%	27.6%	25.9%	56.6%	60.1%
COTTONWOOD	2.0%	4.1%	38.0%	19.5%	45.9%	43.2%
CROW WING	4.3%	4.9%	27.7%	34.1%	39.9%	40.6%
DAKOTA	4.8%	2.8%	25.0%	28.3%	49.7%	46.7%
DODGE	8.7%	3.8%	31.5%	28.3%	42.0%	37.5%
DOUGLAS	6.4%	0.7%	27.5%	31.7%	56.0%	45.9%
FARIBAULT	1.6%	5.3%	13.6%	34.5%	65.8%	41.1%
FILLMORE	4.2%	4.6%	36.6%	32.4%	68.0%	64.4%
FREEBORN	7.0%	1.3%	14.6%	24.7%	33.0%	28.1%
GOODHUE	2.9%	6.5%	36.2%	34.2%	46.2%	51.2%
GRANT	7.7%	0.0%	27.8%	24.3%	68.8%	52.9%
HENNEPIN	4.2%	4.4%	22.5%	24.2%	45.2%	43.3%
HOUSTON	6.3%	5.2%	26.6%	42.7%	55.6%	56.4%
HUBBARD	5.3%	2.9%	26.0%	50.0%	56.1%	29.8%
ISANTI	9.9%	10.4%	28.2%	34.8%	59.2%	42.7%
ITASCA	4.6%	5.8%	23.0%	33.3%	51.0%	47.4%
JACKSON	6.3%	5.6%	25.0%	15.3%	75.0%	70.8%
KANDIYOHI	5.3%	4.0%	26.6%	29.0%	45.9%	49.5%
KITSON	3.6%	0.0%	31.8%	27.6%	50.0%	40.7%
KOOCHICHING	9.5%	8.5%	29.6%	46.0%	39.5%	59.6%
LAC QUI PARLE	2.0%	1.9%	35.9%	15.2%	52.5%	50.7%
LE SUEUR	8.1%	7.1%	28.8%	39.0%	56.4%	55.7%
LINCOLN	0.0%	7.1%	32.5%	39.5%	71.1%	45.5%
LYON	5.9%	5.6%	34.3%	29.7%	57.9%	51.2%
MCLEOD	4.3%	8.2%	30.2%	37.6%	43.8%	48.6%

	6TH GRADE		9TH GRADE		12TH GRADE	
	Male	Female	Male	Female	Male	Female
MARSHALL	7.9%	2.4%	30.4%	20.6%	53.5%	51.1%
MARTIN	0.0%	2.4%	30.1%	30.9%	48.9%	44.7%
MEEKER	6.5%	3.1%	26.6%	31.7%	44.4%	42.0%
MILLE LACS	8.0%	7.4%	30.0%	37.6%	41.4%	35.5%
MORRISON	8.7%	1.4%	37.8%	41.1%	71.0%	64.1%
MOWER	9.4%	4.9%	26.3%	27.5%	49.5%	36.6%
MURRAY	4.3%	5.8%	40.9%	43.6%	64.3%	60.4%
NICOLLET	6.1%	3.1%	35.0%	34.1%	19.2%	43.1%
NOBLES	3.5%	8.9%	20.0%	27.9%	57.6%	40.4%
NORMAN	6.3%	5.6%	37.0%	22.5%	45.2%	48.6%
OLMSTED	5.7%	3.4%	19.2%	23.0%	37.1%	35.7%
OTTER TAIL	5.3%	3.8%	35.2%	24.7%	46.9%	45.5%
PINE	7.0%	7.4%	47.8%	40.9%	61.4%	44.3%
PIPESTONE	7.8%	6.6%	32.6%	23.4%	59.6%	53.7%
POLK	3.2%	2.5%	28.9%	34.3%	61.3%	40.9%
RAMSEY	5.6%	5.9%	27.0%	28.5%	48.3%	41.7%
REDLAKE	4.2%	18.2%	29.2%	25.0%	54.2%	29.2%
REDWOOD	3.4%	4.7%	11.6%	16.7%	53.4%	40.0%
RENVILLE	17.4%	5.9%	52.4%	30.3%	50.0%	57.8%
RICE	5.2%	6.3%	28.5%	18.5%	44.0%	45.7%
ROSEAU	10.3%	5.9%	29.6%	33.9%	63.3%	60.6%
ST. LOUIS	6.5%	4.7%	29.3%	30.5%	52.3%	52.4%
SCOTT	3.9%	3.0%	29.5%	32.3%	53.8%	56.6%
SHERBURNE	7.4%	4.8%	23.3%	30.4%	52.7%	43.1%
SIBLEY	4.2%	6.1%	24.7%	27.6%	53.3%	43.6%
STEARNS	8.0%	4.7%	26.5%	31.4%	58.3%	52.5%
STEELE	6.9%	3.5%	23.2%	27.6%	33.8%	35.4%
STEVENS	0.0%	0.0%	25.0%	32.6%	53.5%	34.9%
TODD	2.6%	9.9%	21.4%	36.2%	56.5%	38.0%
WABASHA	12.3%	6.2%	33.5%	39.5%	58.7%	53.8%
WADENA	7.9%	6.9%	29.0%	27.0%	46.9%	53.7%
WASECA	0.0%	7.7%	23.3%	21.0%	47.8%	51.6%
WASHINGTON	3.4%	2.3%	28.4%	29.5%	51.4%	46.0%
WATONWAN	4.3%	5.5%	29.2%	23.2%	51.7%	61.8%
WILKIN	0.0%	0.0%	22.2%	43.1%	64.5%	50.0%
WINONA	4.5%	2.2%	24.7%	33.7%	58.2%	43.6%
WRIGHT	3.6%	3.6%	28.6%	27.9%	53.4%	45.0%
YELLOW MEDICINE	7.5%	5.2%	49.2%	40.9%	59.2%	66.0%
STATEWIDE	5.2%	4.5%	26.3%	29.1%	49.8%	46.4%

Substance: Alcohol

Data Source: Minnesota Student Survey

STUDENTS REPORTING HAVING 5 OR MORE DRINKS IN A ROW ON AT LEAST ONE OCCASION WITHIN THE PAST 2 WEEKS, BY COUNTY

	9TH GRADE		12TH GRADE	
	Male	Female	Male	Female
AITKIN	33.3%	26.7%	40.0%	17.1%
ANOKA	13.9%	14.8%	33.4%	25.7%
BECKER	18.5%	20.4%	42.2%	30.1%
BELTRAMI	25.9%	23.1%	32.2%	34.5%
BENTON	13.2%	16.8%	38.6%	28.1%
BIG STONE	30.2%	34.6%	59.4%	48.9%
BLUE EARTH	18.7%	15.5%	38.1%	29.4%
BROWN	21.2%	23.8%	44.9%	30.8%
CARLTON	11.7%	14.3%	31.6%	28.3%
CARVER	10.2%	14.0%	37.5%	33.2%
CASS	23.5%	26.3%	43.5%	34.0%
CLAY	16.3%	12.3%	43.3%	34.8%
COTTONWOOD	16.7%	8.2%	41.0%	16.7%
CROW WING	17.5%	16.5%	29.0%	24.3%
DAKOTA	15.1%	15.1%	36.4%	26.0%
DODGE	22.3%	18.6%	36.1%	32.6%
DOUGLAS	14.4%	18.1%	40.5%	24.6%
FARIBAULT	9.6%	15.3%	49.4%	31.1%
FILLMORE	24.7%	18.1%	59.6%	34.4%
FREEBORN	8.9%	16.1%	26.3%	18.4%
GOODHUE	24.5%	13.8%	35.6%	28.4%
GRANT	11.1%	5.4%	56.3%	29.4%
HENNEPIN	13.2%	11.3%	31.5%	22.8%
HOUSTON	21.4%	22.0%	45.7%	39.7%
HUBBARD	22.2%	25.5%	41.4%	17.2%
ISANTI	14.7%	14.5%	46.7%	20.8%
ITASCA	10.7%	16.7%	44.9%	25.3%
JACKSON	19.0%	13.1%	64.2%	44.0%
KANDIYOHI	12.9%	16.0%	35.9%	28.4%
KITSON	8.7%	10.0%	39.3%	20.7%
KOOCHICHING	25.5%	27.3%	20.5%	43.8%
LAC QUI PARLE	19.7%	8.7%	40.7%	37.1%
LE SUEUR	22.9%	12.2%	49.5%	35.9%
LINCOLN	18.2%	17.9%	50.0%	29.2%
LYON	23.6%	19.2%	48.8%	29.3%
MCLEOD	14.9%	15.1%	34.0%	27.3%

	9TH GRADE		12TH GRADE	
	Male	Female	Male	Female
MARSHALL	14.0%	11.4%	35.6%	38.8%
MARTIN	15.7%	21.0%	32.7%	31.8%
MEEKER	16.9%	15.8%	30.8%	21.5%
MILLE LACS	15.4%	21.3%	33.3%	20.9%
MORRISON	26.9%	14.4%	57.1%	40.7%
MOWER	19.6%	14.5%	42.6%	28.9%
MURRAY	27.1%	17.1%	53.5%	38.8%
NICOLLET	25.4%	19.3%	11.5%	32.8%
NOBLES	11.5%	13.1%	45.7%	21.2%
NORMAN	23.9%	7.1%	35.5%	26.3%
OLMSTED	11.5%	15.6%	24.4%	17.9%
OTTER TAIL	24.3%	13.2%	38.2%	26.8%
PINE	31.3%	25.4%	47.9%	25.9%
PIPESTONE	10.6%	14.6%	51.0%	40.9%
POLK	18.7%	17.0%	46.9%	30.3%
RAMSEY	16.8%	14.9%	33.6%	21.6%
REDLAKE	15.4%	20.8%	42.3%	16.7%
REDWOOD	10.0%	10.8%	42.7%	22.6%
RENVILLE	32.6%	17.6%	35.6%	30.3%
RICE	15.8%	8.5%	33.9%	30.4%
ROSEAU	20.2%	19.2%	51.2%	37.6%
ST. LOUIS	16.1%	14.5%	36.5%	27.8%
SCOTT	18.2%	17.3%	44.5%	35.6%
SHERBURNE	11.2%	15.7%	38.8%	19.6%
SIBLEY	16.2%	11.5%	39.3%	30.0%
STEARNS	15.8%	16.8%	44.3%	29.1%
STEELE	13.1%	14.4%	22.1%	19.1%
STEVENS	9.8%	16.3%	32.6%	20.5%
TODD	12.5%	20.1%	38.5%	20.0%
WABASHA	15.6%	20.1%	45.0%	29.7%
WADENA	17.0%	9.9%	40.8%	27.0%
WASECA	17.3%	7.5%	38.3%	34.7%
WASHINGTON	17.1%	15.0%	38.3%	25.1%
WATONWAN	20.3%	9.7%	40.0%	34.8%
WILKIN	12.7%	23.7%	53.1%	32.6%
WINONA	16.1%	14.3%	42.3%	18.5%
WRIGHT	17.3%	15.2%	42.1%	28.7%
YELLOW MEDICINE	34.8%	24.6%	51.9%	44.4%
STATEWIDE	15.9%	15.0%	37.0%	26.4%

Substance: Alcohol

Data Source: Minnesota Student Survey

**STUDENTS REPORTING DRIVING A MOTOR VEHICLE AFTER USING ALCOHOL
OR DRUGS WITHIN THE PAST 12 MONTHS, BY COUNTY**

	9TH GRADE		12TH GRADE	
	Male	Female	Male	Female
AITKIN	17.6%	21.6%	42.9%	25.7%
ANOKA	6.9%	4.3%	27.5%	24.3%
BECKER	13.4%	11.9%	34.4%	27.9%
BELTRAMI	14.7%	12.7%	30.0%	36.1%
BENTON	6.1%	6.3%	33.9%	23.9%
BIG STONE	10.3%	16.7%	61.3%	59.1%
BLUE EARTH	10.7%	3.6%	31.4%	38.1%
BROWN	9.6%	8.2%	42.4%	39.3%
CARLTON	6.3%	5.9%	26.9%	32.2%
CARVER	3.9%	3.9%	31.6%	28.9%
CASS	22.5%	15.3%	27.5%	28.0%
CLAY	7.9%	5.5%	43.2%	40.2%
COTTONWOOD	10.6%	2.6%	33.9%	43.4%
CROW WING	10.2%	8.3%	26.0%	19.4%
DAKOTA	6.0%	5.0%	33.8%	23.9%
DODGE	13.5%	7.2%	24.7%	27.1%
DOUGLAS	5.4%	8.7%	42.1%	32.8%
FARIBAULT	4.2%	11.3%	47.9%	24.6%
FILLMORE	11.5%	0.0%	36.2%	33.3%
FREEBORN	5.2%	7.3%	19.8%	19.4%
GOODHUE	9.7%	3.0%	35.4%	22.9%
GRANT	0.0%	3.0%	60.7%	50.0%
HENNEPIN	6.8%	2.7%	26.8%	22.0%
HOUSTON	12.9%	10.5%	29.5%	34.9%
HUBBARD	8.7%	13.2%	45.9%	23.2%
ISANTI	11.5%	10.8%	36.3%	24.6%
ITASCA	6.5%	6.5%	40.2%	39.4%
JACKSON	3.6%	3.8%	60.8%	52.2%
KANDIYOHI	5.1%	2.8%	29.8%	23.6%
KITSON	10.0%	8.0%	45.5%	53.6%
KOOCHICHING	16.0%	12.0%	34.1%	48.9%
LAC QUI PARLE	13.1%	4.8%	40.0%	42.4%
LE SUEUR	8.7%	5.9%	47.8%	44.4%
LINCOLN	7.9%	5.7%	60.5%	36.4%
LYON	13.5%	5.4%	35.3%	30.1%
MCLEOD	1.8%	4.2%	27.1%	27.5%

	9TH GRADE		12TH GRADE	
	Male	Female	Male	Female
MARSHALL	9.4%	17.2%	44.2%	37.0%
MARTIN	7.8%	10.0%	33.3%	31.3%
MEEKER	11.5%	8.3%	26.3%	19.9%
MILLE LACS	12.2%	9.4%	25.0%	18.7%
MORRISON	17.3%	6.7%	58.5%	60.3%
MOWER	8.4%	7.1%	25.0%	22.9%
MURRAY	16.7%	11.4%	50.0%	46.8%
NICOLLET	13.2%	10.4%	20.0%	23.1%
NOBLES	6.1%	5.3%	41.1%	20.4%
NORMAN	11.6%	6.3%	40.7%	41.2%
OLMSTED	6.9%	2.4%	19.2%	18.3%
OTTER TAIL	14.1%	4.3%	37.3%	28.9%
PINE	20.2%	11.0%	41.5%	39.2%
PIPESTONE	4.9%	9.5%	42.6%	33.3%
POLK	11.8%	5.0%	41.1%	31.9%
RAMSEY	6.8%	3.6%	27.9%	18.7%
REDLAKE	8.0%	14.3%	54.5%	25.0%
REDWOOD	3.2%	1.5%	40.3%	24.1%
RENVILLE	26.3%	13.8%	29.8%	32.3%
RICE	4.8%	4.2%	30.5%	22.4%
ROSEAU	12.5%	12.7%	46.9%	35.4%
ST. LOUIS	8.4%	4.6%	36.6%	29.7%
SCOTT	6.9%	3.6%	36.8%	31.9%
SHERBURNE	5.4%	7.8%	29.9%	21.9%
SIBLEY	9.3%	8.2%	48.1%	30.3%
STEARNS	6.9%	5.0%	35.9%	30.9%
STEELE	3.4%	4.1%	21.8%	18.8%
STEVENS	11.1%	4.9%	30.8%	36.6%
TODD	7.6%	11.9%	35.5%	27.2%
WABASHA	8.4%	4.7%	36.6%	31.0%
WADENA	9.0%	10.2%	37.4%	34.8%
WASECA	9.7%	2.0%	37.5%	39.1%
WASHINGTON	9.0%	4.8%	34.6%	26.0%
WATONWAN	11.9%	6.3%	42.9%	46.8%
WILKIN	9.8%	8.5%	40.0%	31.0%
WINONA	3.4%	4.9%	38.8%	26.8%
WRIGHT	8.1%	4.3%	34.1%	27.7%
YELLOW MEDICINE	13.8%	13.1%	47.2%	48.0%
STATEWIDE	7.9%	5.2%	32.7%	26.9%

Substance: Alcohol

Data Source: Minnesota Student Survey

**STUDENTS REPORTING RIDING WITH FRIENDS AFTER USING ALCOHOL
OR DRUGS WITHIN THE PAST 12 MONTHS, BY COUNTY**

	9TH GRADE		12TH GRADE	
	Male	Female	Male	Female
AITKIN	29.3%	32.8%	49.2%	42.9%
ANOKA	20.0%	24.2%	38.8%	34.4%
BECKER	30.6%	34.7%	50.7%	33.9%
BELTRAMI	33.2%	34.0%	38.8%	46.4%
BENTON	25.0%	25.4%	48.7%	38.3%
BIG STONE	37.0%	50.0%	81.3%	66.0%
BLUE EARTH	24.9%	24.4%	43.5%	48.1%
BROWN	27.0%	32.7%	53.5%	55.3%
CARLTON	19.7%	26.2%	42.6%	44.2%
CARVER	15.8%	19.1%	43.5%	45.9%
CASS	36.1%	51.0%	40.0%	56.4%
CLAY	25.8%	21.1%	49.6%	48.1%
COTTONWOOD	29.1%	28.1%	44.4%	49.0%
CROW WING	22.0%	24.8%	43.6%	34.4%
DAKOTA	18.9%	21.9%	42.8%	34.0%
DODGE	23.3%	26.0%	46.3%	36.0%
DOUGLAS	23.9%	31.3%	46.1%	41.7%
FARIBAULT	18.6%	35.6%	66.2%	36.0%
FILLMORE	28.6%	24.3%	58.5%	43.8%
FREEBORN	13.8%	30.3%	30.9%	29.4%
GOODHUE	21.6%	21.3%	43.1%	33.7%
GRANT	13.2%	24.3%	58.1%	55.9%
HENNEPIN	20.2%	19.2%	39.1%	34.1%
HOUSTON	24.3%	38.7%	41.1%	51.7%
HUBBARD	31.4%	40.6%	55.7%	36.7%
ISANTI	19.9%	28.6%	48.9%	37.2%
ITASCA	26.7%	29.8%	52.5%	50.0%
JACKSON	26.7%	22.6%	58.5%	66.0%
KANDIYOHI	16.5%	25.7%	48.1%	46.4%
KITTSOON	21.7%	41.2%	65.5%	70.0%
KOOCHICHING	24.6%	44.1%	56.8%	62.5%
LAC QUI PARLE	34.3%	23.2%	58.3%	64.3%
LE SUEUR	27.3%	28.4%	54.1%	52.2%
LINCOLN	35.6%	27.5%	67.4%	50.0%
LYON	32.0%	28.5%	52.3%	40.0%
MCLEOD	18.8%	30.0%	43.6%	36.7%

	9TH GRADE		12TH GRADE	
	Male	Female	Male	Female
MARSHALL	26.3%	31.4%	56.5%	64.6%
MARTIN	24.1%	27.7%	43.1%	42.5%
MEEKER	18.1%	28.0%	36.8%	26.1%
MILLE LACS	29.7%	33.9%	37.3%	29.8%
MORRISON	32.3%	33.0%	68.1%	64.6%
MOWER	22.0%	26.8%	47.8%	43.0%
MURRAY	35.3%	32.6%	69.8%	59.2%
NICOLLET	20.3%	19.8%	33.3%	40.3%
NOBLES	21.7%	20.9%	47.9%	27.2%
NORMAN	36.2%	33.3%	48.4%	63.2%
OLMSTED	18.7%	20.6%	27.8%	28.7%
OTTER TAIL	31.4%	27.4%	51.1%	45.8%
PINE	38.5%	39.6%	52.5%	36.1%
PIPESTONE	24.5%	28.0%	63.3%	48.8%
POLK	25.7%	34.0%	53.8%	43.9%
RAMSEY	23.1%	22.4%	40.2%	31.4%
REDLAKE	21.4%	29.2%	60.7%	45.8%
REDWOOD	11.3%	19.2%	57.5%	46.8%
RENVILLE	45.7%	30.9%	52.5%	43.9%
RICE	19.1%	17.8%	37.1%	35.6%
ROSEAU	28.6%	33.6%	58.2%	45.6%
ST. LOUIS	22.9%	27.1%	45.8%	42.1%
SCOTT	25.8%	20.7%	47.1%	43.4%
SHERBURNE	18.2%	22.8%	38.9%	30.7%
SIBLEY	25.0%	23.8%	47.5%	43.2%
STEARNS	20.3%	23.2%	47.7%	43.0%
STEELE	23.1%	31.1%	26.5%	31.5%
STEVENS	37.2%	27.9%	54.5%	44.2%
TODD	17.4%	32.0%	47.5%	38.5%
WABASHA	25.0%	28.7%	49.0%	41.5%
WADENA	26.5%	27.6%	50.0%	52.7%
WASECA	21.4%	19.2%	43.5%	43.0%
WASHINGTON	19.4%	20.0%	41.2%	36.0%
WATONWAN	23.7%	32.0%	56.7%	59.4%
WILKIN	16.7%	37.1%	58.8%	52.1%
WINONA	16.7%	23.3%	38.6%	42.0%
WRIGHT	22.4%	23.7%	41.7%	38.6%
YELLOW MEDICINE	45.6%	41.8%	60.8%	57.4%
STATEWIDE	22.1%	24.2%	43.8%	38.5%

Substance: Alcohol

Data Source: MN Dept of Traffic Safety

ALCOHOL RELATED MOTOR VEHICLE FATALITIES BY COUNTY, 2005 (RATE PER 10,000 POPULATION)

	N (#)	Rate	% of all MV fatalities
AITKIN	1	0.62	20.0%
ANOKA	9	0.28	40.9%
BECKER	4	1.26	66.7%
BELTRAMI	2	0.47	50.0%
BENTON	3	0.78	30.0%
BIG STONE	0	0.00	0.0%
BLUE EARTH	6	1.03	60.0%
BROWN	1	0.38	100.0%
CARLTON	0	0.00	0%
CARVER	3	0.35	37.5%
CASS	3	1.04	60.0%
CHIPPEWA	0	0.00	0%
CHISAGO	1	0.20	16.7%
CLAY	1	0.19	20.0%
CLEARWATER	4	4.72	80.0%
COOK	0	0.00	0%
COTTONWOOD	0	0.00	0%
CROW WING	11	1.83	68.8%
DAKOTA	5	0.13	17.9%
DODGE	0	0.00	0.0%
DOUGLAS	3	0.85	50.0%
FARIBAULT	1	0.65	50.0%
FILLMORE	2	0.94	100.0%
FREEBORN	1	0.31	25.0%
GOODHUE	3	0.65	37.5%
GRANT	0	0.00	0%
HENNEPIN	16	0.14	32.0%
HOUSTON	1	0.50	50.0%
HUBBARD	2	1.06	40.0%
ISANTI	1	0.27	14.3%
ITASCA	4	0.90	100%
JACKSON	0	0.00	0%
KANABEC	3	1.85	33.3%
KANDIYOHI	0	0.00	0%
KITSON	1	2.09	50.0%
KOOCHICHING	1	0.73	100.0%
LAC QUI PARLE	1	1.31	100.0%
LAKE	3	2.68	60.0%
LAKE OF THE WOODS	1	2.26	50.0%
LE SUEUR	2	0.72	28.6%
LINCOLN	1	1.65	33.3%
LYON	1	0.40	50.0%
MAHONOMEN	0	0	0

	N (#)	Rate	% of all MV fatalities
MARSHALL	1	1.00	100%
MARTIN	2	0.95	.67%
MCLEOD	1	0.27	20%
MEEKER	3	1.28	60.0%
MILLE LACS	4	1.56	50.0%
MORRISON	5	1.52	71.4%
MOWER	0	0.00	0.0%
MURRAY	1	1.13	50.0%
NICOLLET	0	0.00	0%
NOBLES	0	0.00	0%
NORMAN	0	0.00	0%
OLMSTED	0	0.00	0%
OTTER TAIL	3	0.51	30.0%
PENNINGTON	1	0.73	33.3%
PINE	4	1.41	30.8%
PIPESTONE	0	0.00	0%
POLK	2	0.64	50.0%
POPE	1	0.89	50%
RAMSEY	12	0.23	46.2%
REDLAKE	1	2.32	100%
REDWOOD	2	1.24	66.7%
RENVILLE	5	2.98	71.4%
RICE	2	0.32	14.3%
ROCK	1	1.05	100%
ROSEAU	2	1.21	33.3%
ST. LOUIS	9	0.45	47.4%
SCOTT	1	0.09	9.1%
SHERBURNE	6	0.73	33.3%
SIBLEY	0	0.00	0%
STEARNS	5	0.35	27.8%
STEELE	0	0.00	0%
STEVENS	2	2.04	66.7%
SWIFT	0	0.00	0%
TODD	0	0.00	0%
TRAVERSE	0	0.00	0%
WABASHA	3	1.34	50%
WADENA	1	0.73	50%
WASECA	2	1.02	66.7%
WASHINGTON	3	0.13	15.8%
WATONWAN	1	0.87	33.3%
WILKIN	0	0.00	0%
WINONA	1	0.20	50%
WRIGHT	6	0.54	37.5%
YELLOW MEDICINE	2	1.89	40%
STATEWIDE	197	0.38	35.2%

Substance: Alcohol

Data Source: MN Office of Traffic Safety

**2005 IMPAIRED DRIVING INCIDENTS BY COUNTY OF ARREST,
NUMBER AND RATE PER 10,000 POPULATION**

	Number	Rate		Number	Rate		Number	Rate
AITKIN	215	132.9	ITASCA	503	113.3	POPE	83	73.8
ANOKA	2,049	63.2	JACKSON	51	45.6	RAMSEY	2,632	53.2
BECKER	438	137.4	KANABEC	96	59.2	REDLAKE	47	108.9
BELTRAMI	354	82.6	KANDIYOHI	287	69.7	REDWOOD	125	78.0
BENTON	268	69.6	KITTSOON	25	52.2	RENVILLE	133	79.3
BIG STONE	23	42.0	KOOCHICHING	60	43.1	RICE	339	55.6
BLUE EARTH	638	109.9	LAC QUI PARLE	36	47.3	ROCK	51	53.6
BROWN	148	55.8	LAKE	59	52.9	ROSEAU	159	96.4
CARLTON	399	117.3	LAKE OF THE WOODS	78	176.4	ST. LOUIS	1,593	80.8
CARVER	414	48.8	LE SUEUR	148	53.8	SCOTT	1,111	92.7
CASS	283	97.9	LINCOLN	29	47.9	SHERBURNE	573	70.1
CHIPPEWA	114	89.0	LYON	214	87.4	SIBLEY	112	73.5
CHISAGO	369	74.7	MAHNOMEN	130	254.3	STEARNS	1,134	79.5
CLAY	802	149.0	MARSHALL	57	57.2	STEELE	254	71.0
CLEARWATER	67	79.0	MARTIN	132	62.9	STEVENS	44	44.8
COOK	76	141.6	MCLEOD	266	72.6	SWIFT	42	37.1
COTTONWOOD	54	45.6	MEEKER	117	50.1	TODD	165	67.1
CROW WING	655	109.3	MILLE LACS	298	116.0	TRAVERSE	21	55.1
DAKOTA	2,650	69.1	MORRISON	194	59.2	WABASHA	152	68.5
DODGE	147	75.0	MOWER	321	82.7	WADENA	91	66.7
DOUGLAS	241	68.6	MURRAY	31	35.0	WASECA	117	60.5
FARIBAULT	68	43.9	NICOLLET	321	104.1	WASHINGTON	1,442	65.4
FILLMORE	113	52.9	NOBLES	189	92.2	WATONWAN	95	84.6
FREEBORN	241	75.4	NORMAN	55	78.5	WILKIN	50	73.5
GOODHUE	385	84.5	OLMSTED	869	64.3	WINONA	418	84.8
GRANT	43	70.3	OTTER TAIL	415	72.0	WRIGHT	690	62.3
HENNEPIN	7,539	67.4	PENNINGTON	125	91.9	YELLOW MEDICINE	89	85.2
HOUSTON	143	71.7	PINE	334	117.3			
HUBBARD	154	81.6	PIPESTONE	68	72.2			
ISANTI	241	64.0	POLK	269	86.4	STATEWIDE	36,870	71.8

Substance: Alcohol

Data Source: MN Office of Traffic Safety

**2005 IMPAIRED DRIVING INCIDENTS BY COUNTY OF RESIDENCE,
NUMBER AND RATE PER 10,000 POPULATION**

	Number	Rate		Number	Rate		Number	Rate
AITKIN	131	81.0	ITASCA	406	91.5	POPE	66	58.7
ANOKA	2,121	65.5	JACKSON	40	35.8	RAMSEY	2,967	59.9
BECKER	303	95.1	KANABEC	123	75.9	REDLAKE	25	57.9
BELTRAMI	373	87.0	KANDIYOHI	264	64.1	REDWOOD	120	74.9
BENTON	271	70.4	KITSON	21	43.8	RENVILLE	129	77.0
BIG STONE	14	**	KOOCHICHING	76	54.6	RICE	371	60.9
BLUE EARTH	534	92.0	LAC QUI PARLE	45	59.2	ROCK	33	34.7
BROWN	129	48.6	LAKE	60	53.8	ROSEAU	140	84.9
CARLTON	298	87.6	LAKE OF THE WOODS	50	113.1	ST. LOUIS	1,440	73.0
CARVER	483	56.9	LE SUEUR	194	70.6	SCOTT	848	70.8
CASS	260	89.9	LINCOLN	18	**	SHERBURNE	554	67.8
CHIPPEWA	98	76.6	LYON	176	71.9	SIBLEY	91	59.7
CHISAGO	325	65.8	MAHNOMEN	88	172.1	STEARNS	941	66.0
CLAY	351	65.2	MARSHALL	70	70.2	STEELE	238	66.6
CLEARWATER	63	74.3	MARTIN	134	63.8	STEVENS	57	58.0
COOK	42	78.3	MCLEOD	256	69.9	SWIFT	63	55.6
COTTONWOOD	56	47.3	MEEKER	131	56.1	TODD	151	61.4
CROW WING	521	87.0	MILLE LACS	213	82.9	TRAVERSE	17	*
DAKOTA	2,590	67.5	MORRISON	222	67.7	WABASHA	131	59.0
DODGE	150	76.6	MOWER	311	80.2	WADENA	96	70.3
DOUGLAS	201	57.2	MURRAY	31	35.0	WASECA	130	67.3
FARIBAULT	82	52.9	NICOLLET	234	75.9	WASHINGTON	1,194	54.2
FILLMORE	112	52.4	NOBLES	148	72.2	WATONWAN	88	78.3
FREEBORN	201	62.9	NORMAN	61	87.1	WILKIN	23	33.8
GOODHUE	318	69.8	OLMSTED	868	64.2	WINONA	268	54.4
GRANT	52	85.1	OTTER TAIL	396	68.7	WRIGHT	771	69.6
HENNEPIN	7,331	65.5	PENNINGTON	121	88.9	YELLOW MEDICINE	90	86.1
HOUSTON	115	57.7	PINE	259	90.9			
HUBBARD	139	73.7	PIPESTONE	67	71.1			
ISANTI	257	68.2	POLK	210	67.5	STATEWIDE	34,256	66.7

Substance: Tobacco

Data Source: Minnesota Student Survey

**STUDENTS REPORTING SMOKING A CIGARETTE ON ONE OR MORE DAYS
WITHIN THE PAST 30 DAYS, BY COUNTY**

	6TH GRADE		9TH GRADE		12TH GRADE	
	Male	Female	Male	Female	Male	Female
AITKIN	3.0%	1.4%	23.7%	29.3%	27.1%	44.1%
ANOKA	3.0%	2.6%	14.9%	15.9%	27.9%	27.8%
BECKER	2.2%	1.4%	21.8%	16.9%	35.6%	28.9%
BELTRAMI	20.8%	19.3%	24.0%	29.8%	21.6%	34.9%
BENTON	2.5%	1.3%	18.8%	16.8%	31.6%	22.8%
BIG STONE	0.0%	4.2%	27.3%	23.1%	48.4%	34.8%
BLUE EARTH	3.0%	2.9%	14.5%	17.0%	36.2%	33.6%
BROWN	4.6%	0.9%	16.8%	27.6%	33.3%	35.0%
CARLTON	3.9%	7.6%	12.8%	18.5%	27.6%	35.0%
CARVER	2.4%	1.9%	13.6%	15.5%	33.1%	33.7%
CASS	7.5%	10.2%	28.9%	35.1%	35.6%	29.6%
CLAY	0.3%	2.8%	13.6%	13.3%	24.5%	25.6%
COTTONWOOD	1.9%	5.3%	15.6%	12.5%	37.7%	25.5%
CROW WING	3.4%	3.8%	13.8%	22.4%	21.6%	25.7%
DAKOTA	2.4%	1.7%	12.7%	15.7%	29.8%	29.0%
DODGE	5.8%	0.9%	20.5%	18.6%	21.5%	20.0%
DOUGLAS	0.0%	0.7%	13.6%	19.8%	30.5%	28.2%
FARIBAULT	1.5%	6.3%	11.5%	22.1%	32.9%	28.2%
FILLMORE	0.0%	2.9%	12.0%	16.0%	36.5%	31.7%
FREEBORN	4.8%	1.9%	10.8%	19.1%	27.7%	29.2%
GOODHUE	2.7%	5.6%	10.6%	14.4%	27.7%	33.5%
GRANT	0.0%	0.0%	5.4%	16.7%	48.4%	33.3%
HENNEPIN	2.5%	2.4%	11.9%	12.0%	23.9%	23.0%
HOUSTON	1.0%	2.0%	16.7%	27.6%	27.2%	37.7%
HUBBARD	6.9%	4.3%	15.2%	38.9%	38.5%	31.0%
ISANTI	3.6%	4.6%	17.6%	27.2%	27.6%	27.4%
ITASCA	6.7%	4.9%	17.1%	17.8%	32.3%	46.8%
JACKSON	1.9%	3.8%	6.5%	17.5%	25.0%	22.9%
KANDIYOHI	1.8%	5.5%	14.9%	15.0%	35.8%	35.2%
KITSON	3.4%	0.0%	13.0%	6.3%	28.6%	13.3%
KOOCHICHING	5.9%	12.0%	14.5%	25.4%	22.7%	51.1%
LAC QUI PARLE	0.0%	1.8%	16.9%	5.9%	33.3%	37.7%
LE SUEUR	4.0%	1.4%	15.9%	14.3%	42.7%	39.1%
LINCOLN	0.0%	0.0%	20.0%	10.3%	35.6%	20.8%
LYON	0.0%	0.7%	18.4%	14.9%	43.2%	27.5%
MCLEOD	1.8%	3.4%	9.3%	21.9%	26.2%	30.1%
MARSHALL	0.0%	0.0%	14.3%	20.0%	37.8%	35.4%

	6TH GRADE		9TH GRADE		12TH GRADE	
	Male	Female	Male	Female	Male	Female
MARTIN	1.3%	4.5%	21.8%	20.6%	26.5%	29.9%
MEEKER	6.2%	5.8%	18.1%	24.9%	31.6%	29.2%
MILLE LACS	4.9%	4.2%	20.4%	28.3%	32.5%	30.0%
MORRISON	6.5%	1.3%	31.9%	21.7%	41.4%	50.6%
MOWER	9.0%	3.7%	12.2%	21.4%	29.2%	34.4%
MURRAY	0.0%	0.0%	26.0%	10.9%	48.8%	42.6%
NICOLLET	4.3%	2.8%	20.6%	14.0%	17.0%	29.5%
NOBLES	4.2%	2.5%	10.4%	7.3%	34.8%	16.2%
NORMAN	0.0%	0.0%	14.6%	6.7%	27.6%	30.6%
OLMSTED	4.1%	1.3%	10.3%	12.1%	16.4%	15.6%
OTTER TAIL	2.7%	2.9%	18.6%	12.4%	31.3%	28.7%
PINE	6.4%	3.4%	25.6%	26.0%	32.5%	39.6%
PIPESTONE	3.8%	1.6%	6.3%	19.6%	52.1%	34.9%
POLK	0.8%	2.2%	19.4%	13.0%	42.0%	19.8%
RAMSEY	3.3%	3.7%	13.5%	14.5%	25.9%	22.8%
REDLAKE	4.0%	15.0%	3.6%	16.7%	25.0%	29.2%
REDWOOD	3.2%	7.2%	8.6%	16.9%	26.9%	19.4%
RENVILLE	6.4%	1.9%	25.6%	26.5%	37.7%	28.8%
RICE	5.0%	4.9%	11.6%	14.9%	26.6%	28.7%
ROSEAU	3.4%	5.8%	10.6%	24.0%	40.8%	45.5%
ST. LOUIS	5.6%	2.8%	12.0%	16.5%	32.2%	33.2%
SCOTT	2.2%	2.2%	16.3%	17.9%	37.3%	34.7%
SHERBURNE	4.5%	2.7%	10.9%	18.7%	29.7%	25.6%
SIBLEY	1.4%	5.5%	13.1%	25.3%	43.5%	35.4%
STEARNS	2.9%	1.7%	12.4%	14.7%	32.7%	29.2%
STEELE	4.8%	1.9%	7.7%	17.5%	24.7%	24.7%
STEVENS	6.3%	3.4%	18.6%	4.7%	34.9%	20.9%
TODD	3.3%	1.7%	10.0%	24.5%	29.9%	26.7%
WABASHA	1.8%	4.0%	15.0%	15.0%	38.4%	32.8%
WADENA	5.2%	3.8%	22.8%	18.4%	34.3%	26.8%
WASECA	1.6%	4.7%	17.4%	12.0%	32.8%	39.8%
WASHINGTON	1.9%	1.4%	17.0%	15.2%	29.2%	27.8%
WATONWAN	1.9%	3.8%	11.8%	19.2%	37.9%	34.8%
WILKIN	5.4%	0.0%	10.2%	11.5%	46.9%	29.2%
WINONA	1.0%	2.1%	11.5%	14.3%	27.1%	30.9%
WRIGHT	2.0%	1.4%	17.4%	21.1%	29.8%	30.8%
YELLOW MEDICINE	0.0%	3.3%	27.9%	24.2%	48.6%	44.4%
STATEWIDE	3.2%	2.8%	14.2%	16.3%	29.5%	28.4%

Substance: Tobacco

Data Source: Minnesota Student Survey

**STUDENTS REPORTING SMOKING CIGARETTES ON 20 OR MORE DAYS
WITHIN THE PAST 30 DAYS, BY COUNTY**

	6TH GRADE		9TH GRADE		12TH GRADE	
	Male	Female	Male	Female	Male	Female
AITKIN	0.0%	0.0%	10.2%	12.1%	10.2%	35.3%
ANOKA	0.8%	0.4%	6.0%	5.3%	14.5%	15.5%
BECKER	0.7%	0.7%	9.8%	8.4%	19.3%	20.2%
BELTRAMI	7.9%	1.8%	14.7%	17.2%	11.5%	12.0%
BENTON	0.6%	0.0%	5.2%	4.6%	23.7%	11.0%
BIG STONE	0.0%	0.0%	6.8%	7.7%	38.7%	19.6%
BLUE EARTH	0.7%	0.0%	5.4%	4.8%	19.5%	11.9%
BROWN	0.9%	0.0%	7.0%	9.0%	15.6%	26.7%
CARLTON	0.6%	2.5%	4.3%	10.0%	15.5%	23.4%
CARVER	0.7%	0.3%	4.9%	4.6%	16.2%	16.8%
CASS	3.2%	0.8%	12.0%	16.5%	22.2%	18.5%
CLAY	0.0%	0.8%	6.3%	5.7%	12.4%	14.5%
COTTONWOOD	0.0%	0.0%	10.4%	2.3%	13.1%	12.8%
CROW WING	0.3%	0.6%	4.2%	9.1%	9.5%	10.4%
DAKOTA	0.7%	0.5%	4.6%	5.4%	14.1%	13.8%
DODGE	1.0%	0.0%	5.4%	11.6%	11.4%	15.3%
DOUGLAS	0.0%	0.0%	5.6%	10.8%	19.1%	19.1%
FARIBAULT	0.0%	1.3%	4.6%	9.3%	18.4%	11.3%
FILLMORE	0.0%	1.4%	5.3%	8.0%	21.2%	11.1%
FREEBORN	1.4%	0.0%	4.2%	7.3%	18.1%	20.0%
GOODHUE	1.8%	0.9%	5.1%	5.7%	13.2%	15.9%
GRANT	0.0%	0.0%	2.7%	5.6%	22.6%	9.1%
HENNEPIN	0.7%	0.3%	4.2%	2.8%	10.6%	9.3%
HOUSTON	0.0%	0.0%	6.9%	7.8%	12.6%	15.8%
HUBBARD	1.1%	0.0%	10.5%	21.1%	27.7%	25.9%
ISANTI	0.0%	0.6%	10.4%	12.0%	10.4%	15.3%
ITASCA	1.2%	1.8%	5.9%	10.3%	14.6%	26.0%
JACKSON	0.0%	1.9%	1.6%	7.9%	13.5%	14.6%
KANDIYOHI	0.9%	0.0%	3.9%	4.2%	13.2%	13.2%
KITTSOON	0.0%	0.0%	8.7%	0.0%	10.7%	6.7%
KOOCHICHING	2.9%	4.0%	3.6%	14.9%	13.6%	27.7%
LAC QUI PARLE	0.0%	1.8%	6.2%	4.4%	15.8%	15.9%
LE SUEUR	0.0%	0.0%	4.5%	8.2%	28.1%	22.7%
LINCOLN	0.0%	0.0%	6.7%	2.6%	15.6%	0.0%
LYON	0.0%	0.0%	6.1%	3.9%	25.6%	9.9%
MCLEOD	0.0%	0.0%	2.4%	8.5%	15.9%	15.1%

	6TH GRADE		9TH GRADE		12TH GRADE	
	Male	Female	Male	Female	Male	Female
MARSHALL	0.0%	0.0%	3.6%	2.9%	24.4%	18.8%
MARTIN	0.0%	1.1%	9.2%	3.9%	10.2%	14.9%
MEEKER	0.9%	1.5%	9.6%	9.0%	19.8%	13.7%
MILLE LACS	1.3%	0.5%	14.1%	13.3%	25.2%	20.6%
MORRISON	0.0%	0.0%	12.1%	7.6%	27.1%	27.2%
MOWER	2.5%	0.5%	6.5%	7.1%	17.7%	25.4%
MURRAY	0.0%	0.0%	14.0%	6.5%	34.1%	25.5%
NICOLLET	1.4%	1.4%	7.4%	5.8%	7.5%	14.8%
NOBLES	0.0%	1.7%	1.7%	2.7%	14.1%	4.5%
NORMAN	0.0%	0.0%	6.3%	2.2%	6.9%	13.9%
OLMSTED	2.1%	0.4%	3.9%	3.7%	6.0%	7.8%
OTTER TAIL	0.8%	0.7%	6.1%	4.9%	18.8%	12.6%
PINE	1.6%	0.0%	10.3%	13.7%	18.8%	19.8%
PIPESTONE	1.9%	0.0%	4.2%	5.9%	41.7%	27.9%
POLK	0.8%	0.0%	10.4%	4.3%	18.8%	9.4%
RAMSEY	0.7%	0.7%	5.1%	4.1%	10.7%	10.2%
REDLAKE	0.0%	5.0%	0.0%	4.2%	10.7%	16.7%
REDWOOD	0.0%	1.4%	5.7%	2.6%	15.4%	8.1%
RENVILLE	0.0%	0.0%	11.6%	7.4%	24.6%	12.1%
RICE	2.5%	1.4%	4.9%	6.2%	11.0%	10.6%
ROSEAU	0.0%	0.0%	4.4%	9.3%	11.7%	22.8%
ST. LOUIS	1.7%	0.7%	4.6%	5.8%	15.1%	16.8%
SCOTT	0.2%	0.2%	5.5%	7.6%	22.0%	11.5%
SHERBURNE	0.9%	0.2%	3.1%	7.5%	16.0%	16.6%
SIBLEY	0.0%	0.0%	8.4%	8.9%	32.3%	22.8%
STEARNS	0.6%	0.2%	4.4%	5.3%	19.2%	18.7%
STEELE	1.1%	0.0%	1.9%	2.7%	11.3%	13.0%
STEVENS	0.0%	0.0%	7.0%	0.0%	14.0%	7.0%
TODD	0.8%	0.0%	3.3%	12.6%	16.2%	16.0%
WABASHA	0.0%	1.0%	8.4%	6.7%	18.1%	19.0%
WADENA	0.0%	1.0%	8.9%	8.7%	16.7%	18.3%
WASECA	0.0%	0.0%	11.3%	5.6%	11.2%	19.4%
WASHINGTON	0.6%	0.3%	6.9%	5.7%	13.6%	11.5%
WATONWAN	0.0%	0.0%	3.9%	9.6%	24.1%	15.9%
WILKIN	0.0%	0.0%	5.1%	3.3%	21.9%	20.8%
WINONA	0.0%	0.0%	7.3%	5.5%	11.4%	8.6%
WRIGHT	0.2%	0.4%	7.3%	7.2%	14.9%	16.7%
YELLOW MEDICINE	0.0%	1.6%	11.8%	15.2%	32.4%	20.4%
STATEWIDE	0.8%	0.5%	5.6%	5.8%	14.8%	14.0%

Substance: Tobacco

Data Source: Minnesota Student Survey

**STUDENTS REPORTING USE OF CHEWING TOBACCO OR SNUFF
WITHIN THE PAST 30 DAYS, BY COUNTY**

	6TH GRADE		9TH GRADE		12TH GRADE	
	Male	Female	Male	Female	Male	Female
AITKIN	0.0%	1.4%	17.2%	3.4%	21.0%	2.9%
ANOKA	0.8%	0.3%	5.0%	0.7%	9.7%	0.6%
BECKER	1.4%	0.0%	11.4%	0.0%	21.7%	0.0%
BELTRAMI	4.0%	0.0%	12.6%	0.8%	14.4%	1.8%
BENTON	1.3%	0.0%	2.1%	0.0%	14.9%	0.8%
BIG STONE	0.0%	0.0%	4.3%	0.0%	19.4%	2.1%
BLUE EARTH	0.3%	0.4%	3.0%	1.3%	13.5%	0.4%
BROWN	0.0%	0.0%	5.4%	0.7%	10.1%	0.0%
CARLTON	1.9%	0.0%	6.4%	1.4%	17.5%	2.2%
CARVER	0.7%	0.3%	4.9%	0.5%	15.4%	0.4%
CASS	2.2%	0.0%	13.3%	2.0%	18.0%	3.6%
CLAY	0.3%	0.4%	3.7%	0.4%	13.9%	0.0%
COTTONWOOD	0.0%	0.0%	3.9%	0.0%	19.0%	1.1%
CROW WING	0.9%	0.0%	14.5%	1.3%	17.2%	1.1%
DAKOTA	1.1%	0.3%	4.7%	1.1%	11.8%	0.3%
DODGE	1.0%	0.0%	8.6%	0.0%	20.5%	1.1%
DOUGLAS	0.0%	0.0%	7.3%	2.4%	17.6%	3.0%
FARIBAULT	0.0%	1.3%	0.0%	0.0%	16.9%	0.0%
FILLMORE	0.0%	1.4%	2.7%	0.0%	25.5%	0.0%
FREEBORN	0.0%	0.0%	5.5%	0.6%	11.7%	0.0%
GOODHUE	0.5%	0.4%	6.9%	0.0%	17.4%	0.0%
GRANT	0.0%	0.0%	5.6%	0.0%	23.3%	2.9%
HENNEPIN	0.8%	0.3%	3.0%	0.4%	6.5%	0.2%
HOUSTON	0.0%	0.0%	7.7%	0.0%	9.5%	0.0%
HUBBARD	3.4%	0.0%	3.9%	1.1%	20.6%	0.0%
ISANTI	1.0%	0.0%	5.5%	2.6%	21.3%	1.6%
ITASCA	0.6%	0.6%	10.7%	0.9%	20.6%	4.9%
JACKSON	0.0%	1.9%	3.4%	0.0%	11.3%	0.0%
KANDIYOHI	0.0%	1.1%	7.1%	0.0%	15.7%	0.0%
KITTSOON	0.0%	0.0%	0.0%	0.0%	17.2%	0.0%
KOOCHICHING	4.4%	2.0%	14.0%	5.9%	15.9%	4.2%
LAC QUI PARLE	0.0%	0.0%	9.2%	0.0%	5.2%	0.0%
LE SUEUR	0.0%	0.0%	9.1%	0.0%	19.8%	1.5%
LINCOLN	0.0%	0.0%	9.1%	2.5%	15.2%	0.0%
LYON	0.9%	0.7%	12.2%	1.3%	29.1%	3.8%
MCLEOD	0.6%	0.6%	1.5%	0.5%	11.4%	1.4%

	6TH GRADE		9TH GRADE		12TH GRADE	
	Male	Female	Male	Female	Male	Female
MARSHALL	0.0%	0.0%	8.8%	2.9%	23.9%	2.1%
MARTIN	0.0%	0.0%	5.9%	1.0%	14.0%	1.1%
MEEKER	2.4%	0.0%	10.5%	1.0%	18.2%	0.0%
MILLE LACS	0.9%	0.5%	3.6%	0.9%	16.1%	0.0%
MORRISON	1.3%	0.0%	10.1%	0.0%	29.0%	0.0%
MOWER	3.0%	0.0%	6.4%	0.0%	15.0%	1.6%
MURRAY	0.0%	0.0%	5.9%	0.0%	15.0%	2.0%
NICOLLET	1.4%	0.0%	9.0%	0.0%	17.0%	0.0%
NOBLES	0.0%	0.0%	3.4%	0.0%	13.0%	1.8%
NORMAN	0.0%	0.0%	2.1%	0.0%	3.2%	0.0%
OLMSTED	2.8%	0.4%	4.9%	0.9%	9.5%	0.9%
OTTER TAIL	0.8%	1.1%	12.0%	0.0%	19.8%	0.0%
PINE	0.8%	0.0%	26.7%	1.5%	31.4%	3.7%
PIPESTONE	0.0%	0.0%	0.0%	0.0%	19.1%	4.7%
POLK	0.0%	0.8%	14.9%	0.7%	25.4%	0.0%
RAMSEY	0.7%	0.5%	3.2%	0.9%	7.9%	0.3%
REDLAKE	0.0%	0.0%	14.3%	0.0%	35.7%	0.0%
REDWOOD	0.0%	0.0%	2.8%	0.0%	14.3%	0.0%
RENVILLE	2.1%	0.0%	20.0%	1.5%	27.6%	1.5%
RICE	3.3%	2.1%	1.3%	0.0%	8.7%	1.6%
ROSEAU	4.3%	2.0%	23.9%	4.6%	34.4%	0.0%
ST. LOUIS	2.3%	0.7%	8.0%	0.6%	22.4%	0.3%
SCOTT	0.6%	0.0%	5.7%	1.2%	12.5%	0.3%
SHERBURNE	1.1%	0.0%	3.3%	1.1%	12.6%	0.0%
SIBLEY	0.0%	0.0%	6.5%	1.3%	13.3%	0.0%
STEARNS	0.6%	0.5%	6.1%	1.0%	13.3%	0.6%
STEELE	2.7%	0.0%	3.1%	1.0%	11.0%	0.6%
STEVENS	0.0%	0.0%	11.9%	0.0%	28.9%	0.0%
TODD	0.0%	0.0%	9.2%	1.4%	13.8%	0.0%
WABASHA	0.9%	1.0%	7.2%	1.6%	21.3%	1.7%
WADENA	3.2%	0.0%	23.8%	4.8%	17.6%	2.7%
WASECA	0.0%	0.0%	4.4%	0.0%	11.3%	0.0%
WASHINGTON	0.7%	0.2%	7.1%	1.2%	11.7%	0.7%
WATONWAN	0.0%	1.3%	7.9%	1.3%	11.7%	1.4%
WILKIN	0.0%	0.0%	5.0%	0.0%	15.6%	0.0%
WINONA	0.0%	0.0%	6.3%	0.0%	10.0%	0.0%
WRIGHT	0.2%	0.0%	6.9%	1.0%	17.5%	0.9%
YELLOW MEDICINE	0.0%	1.6%	11.8%	6.0%	26.9%	0.0%
STATEWIDE	0.9%	0.4%	5.8%	0.8%	13.4%	0.6%

Substance: Tobacco

Data Source: National Vital Statistics System

DEATHS FROM LUNG CANCER, RATE PER 1,000 POPULATION BY COUNTY (2003)

	Number	Rate		Number	Rate		Number	Rate
AITKIN	13	0.82	ITASCA	34	0.77	POPE	8	0.71
ANOKA	119	0.38	JACKSON	6	0.54	RAMSEY	248	0.49
BECKER	18	0.57	KANABEC	9	0.57	REDLAKE	N/A	
BELTRAMI	18	0.43	KANDIYOHI	28	0.68	REDWOOD	13	0.80
BENTON	19	0.51	KITTSOON	N/A		RENVILLE	9	0.53
BIG STONE	N/A		KOOCHICHING	18	1.29	RICE	30	0.50
BLUE EARTH	14	0.24	LAC QUI PARLE	N/A		ROCK	N/A	
BROWN	13	0.49	LAKE	8	0.71	ROSEAU	N/A	
CARLTON	31	0.94	LAKE OF THE WOODS	N/A		ST. LOUIS	135	0.68
CARVER	10	0.13	LE SUEUR	13	0.49	SCOTT	32	0.29
CASS	25	0.89	LINCOLN	6	0.96	SHERBURNE	21	0.28
CHIPPEWA	7	0.55	LYON	10	0.40	SIBLEY	N/A	
CHISAGO	15	0.32	MAHNOMEN	4	0.78	STEARNS	41	0.29
CLAY	13	0.25	MARSHALL	5	0.50	STEELE	19	0.55
CLEARWATER	N/A		MARTIN	13	0.61	STEVENS	6	0.60
COOK	N/A		MCLEOD	6	0.17	SWIFT	N/A	
COTTONWOOD	N/A		MEEKER	7	0.30	TODD	19	0.78
CROW WING	32	0.55	MILLE LACS	15	0.61	TRAVERSE	N/A	
DAKOTA	114	0.31	MORRISON	22	0.68	WABASHA	17	0.77
DODGE	7	0.37	MOWER	25	0.64	WADENA	13	0.96
DOUGLAS	18	0.53	MURRAY	8	0.89	WASECA	12	0.62
FARIBAULT	13	0.83	NICOLLET	12	0.39	WASHINGTON	72	0.34
FILLMORE	11	0.52	NOBLES	12	0.58	WATONWAN	8	0.69
FREEBORN	21	0.65	NORMAN	7	0.98	WILKIN	N/A	
GOODHUE	22	0.49	OLMSTED	48	0.37	WINONA	23	0.47
GRANT	N/A		OTTER TAIL	23	0.40	WRIGHT	37	0.36
HENNEPIN	494	0.44	PENNINGTON	9	0.66	YELLOW MEDICINE	N/A	
HOUSTON	6	0.30	PINE	12	0.43			
HUBBARD	11	0.59	PIPESTONE	7	0.72			
ISANTI	20	0.56	POLK	18	0.58	STATEWIDE	2283	0.45

Substance: Tobacco

Data Source: National Vital Statistics System

DEATHS FROM LUNG CANCER IN 2003, NUMBER AND PERCENT OF LUNG CANCER DEATHS

	Number	Percent		Number	Percent		Number	Percent
AITKIN	13	0.57%	ITASCA	34	1.49%	POPE	8	0.35%
ANOKA	119	5.21%	JACKSON	6	0.26%	RAMSEY	248	10.86%
BECKER	18	0.79%	KANABEC	9	0.39%	REDLAKE	N/A	
BELTRAMI	18	0.79%	KANDIYOHI	28	1.23%	REDWOOD	13	0.57%
BENTON	19	0.83%	KITSON	N/A		RENVILLE	9	0.39%
BIG STONE	N/A		KOOCHICHING	18	0.79%	RICE	30	1.31%
BLUE EARTH	14	0.61%	LAC QUI PARLE	N/A		ROCK	N/A	
BROWN	13	0.57%	LAKE	8	0.35%	ROSEAU	N/A	
CARLTON	31	1.36%	LAKE OF THE WOODS	N/A		ST. LOUIS	135	5.91%
CARVER	10	0.44%	LE SUEUR	13	0.57%	SCOTT	32	1.40%
CASS	25	1.10%	LINCOLN	6	0.26%	SHERBURNE	21	0.92%
CHIPPEWA	7	0.31%	LYON	10	0.44%	SIBLEY	N/A	
CHISAGO	15	0.66%	MAHNOMEN	N/A		STEARNS	41	1.80%
CLAY	13	0.57%	MARSHALL	N/A		STEELE	19	0.83%
CLEARWATER	N/A		MARTIN	13	0.57%	STEVENS	6	0.26%
COOK	N/A		MCLEOD	6	0.26%	SWIFT	N/A	
COTTONWOOD	N/A		MEEKER	7	0.31%	TODD	19	0.83%
CROW WING	32	1.40%	MILLE LACS	15	0.66%	TRAVERSE	N/A	
DAKOTA	114	4.99%	MORRISON	22	0.96%	WABASHA	17	0.74%
DODGE	7	0.31%	MOWER	25	1.10%	WADENA	13	0.57%
DOUGLAS	18	0.79%	MURRAY	8	0.35%	WASECA	12	0.53%
FARIBAULT	13	0.57%	NICOLLET	12	0.53%	WASHINGTON	72	3.15%
FILLMORE	11	0.48%	NOBLES	12	0.53%	WATONWAN	8	0.35%
FREEBORN	21	0.92%	NORMAN	7	0.31%	WILKIN	N/A	
GOODHUE	22	0.96%	OLMSTED	48	2.10%	WINONA	23	1.01%
GRANT	N/A		OTTER TAIL	23	1.01%	WRIGHT	37	1.62%
HENNEPIN	494	21.64%	PENNINGTON	9	0.39%	YELLOW MEDICINE	N/A	
HOUSTON	6	0.26%	PINE	12	0.53%			
HUBBARD	11	0.48%	PIPESTONE	7	0.31%			
ISANTI	20	0.88%	POLK	18	0.79%	STATEWIDE	2283	100.00%

Substance: Marijuana

Data Source: Minnesota Student Survey

STUDENTS REPORTING ANY USE OF MARIJUANA IN THE PAST 30 DAYS, BY COUNTY

	6TH GRADE		9TH GRADE		12TH GRADE	
	Male	Female	Male	Female	Male	Female
AITKIN	3.0%	0.0%	21.2%	22.8%	27.1%	25.7%
ANOKA	1.5%	1.1%	12.7%	11.4%	23.1%	16.9%
BECKER	2.2%	0.7%	12.4%	11.3%	14.4%	10.3%
BELTRAMI	14.0%	9.7%	19.1%	23.8%	19.2%	16.6%
BENTON	0.6%	0.6%	5.5%	9.5%	23.9%	8.8%
BIG STONE	0.0%	0.0%	7.3%	13.6%	18.8%	8.5%
BLUE EARTH	0.3%	0.7%	13.7%	13.4%	25.3%	24.9%
BROWN	1.0%	0.0%	12.1%	13.8%	18.4%	12.5%
CARLTON	1.3%	2.6%	7.7%	15.7%	15.5%	16.9%
CARVER	1.9%	0.8%	7.9%	12.3%	21.6%	15.6%
CASS	7.5%	4.9%	16.7%	27.8%	18.2%	17.0%
CLAY	0.4%	1.6%	15.3%	12.2%	24.7%	16.6%
COTTONWOOD	0.0%	0.0%	8.1%	2.4%	0.0%	3.1%
CROW WING	1.3%	0.3%	10.7%	14.6%	15.1%	9.6%
DAKOTA	1.2%	0.7%	11.0%	12.1%	27.5%	19.6%
DODGE	3.8%	0.0%	16.8%	9.5%	12.3%	11.4%
DOUGLAS	0.0%	0.0%	7.4%	15.2%	25.2%	23.1%
FARIBAULT	0.0%	2.6%	7.4%	8.3%	24.3%	5.4%
FILLMORE	0.0%	1.5%	10.8%	6.0%	19.2%	6.6%
FREEBORN	2.0%	0.7%	8.6%	11.3%	14.4%	8.7%
GOODHUE	0.5%	1.8%	10.8%	9.2%	15.9%	13.8%
GRANT	3.7%	0.0%	5.7%	5.7%	32.3%	8.8%
HENNEPIN	1.4%	0.9%	13.2%	10.9%	23.9%	17.5%
HOUSTON	1.0%	0.0%	17.4%	13.7%	20.4%	20.2%
HUBBARD	1.2%	2.9%	14.6%	28.7%	15.9%	15.5%
ISANTI	3.7%	1.2%	14.8%	15.6%	24.0%	12.0%
ITASCA	1.9%	4.0%	13.8%	13.5%	27.3%	28.8%
JACKSON	2.1%	3.6%	7.0%	6.7%	24.5%	16.3%
KANDIYOHI	0.0%	1.1%	9.5%	12.1%	21.2%	17.0%
KITTSOON	3.8%	0.0%	9.1%	0.0%	22.2%	13.3%
KOOCHICHING	4.8%	2.1%	13.0%	20.3%	22.7%	31.9%
LAC QUI PARLE	0.0%	1.8%	9.2%	3.0%	10.2%	10.1%
LE SUEUR	0.8%	0.7%	9.1%	10.4%	26.1%	14.3%
LINCOLN	0.0%	0.0%	0.0%	2.6%	13.6%	4.2%
LYON	0.9%	0.0%	9.6%	4.8%	22.1%	9.9%
MCLEOD	1.2%	0.6%	5.2%	11.6%	20.8%	13.0%
MARSHALL	0.0%	0.0%	1.8%	3.0%	11.1%	4.2%

	6TH GRADE		9TH GRADE		12TH GRADE	
	Male	Female	Male	Female	Male	Female
MARTIN	0.0%	2.3%	21.7%	9.3%	22.4%	17.2%
MEEKER	1.5%	2.0%	8.4%	7.1%	7.6%	5.0%
MILLE LACS	4.7%	2.5%	10.6%	17.4%	17.7%	12.8%
MORRISON	1.4%	1.4%	22.2%	8.3%	22.9%	18.8%
MOWER	4.3%	2.9%	11.2%	11.7%	17.0%	17.3%
MURRAY	0.0%	0.0%	8.7%	8.9%	23.3%	16.7%
NICOLLET	0.0%	1.4%	11.5%	9.8%	9.4%	19.7%
NOBLES	0.0%	0.9%	8.3%	4.8%	15.1%	8.0%
NORMAN	2.0%	2.6%	18.6%	2.7%	20.0%	11.1%
OLMSTED	3.2%	0.4%	9.1%	9.3%	16.1%	11.0%
OTTER TAIL	1.2%	1.9%	17.4%	6.5%	14.9%	7.2%
PINE	3.3%	0.9%	17.9%	18.0%	20.5%	14.0%
PIPESTONE	2.0%	0.0%	6.5%	8.5%	14.6%	9.1%
POLK	0.8%	2.4%	10.2%	8.1%	22.6%	7.3%
RAMSEY	2.1%	1.6%	14.2%	11.6%	26.1%	14.3%
REDLAKE	4.2%	4.8%	7.7%	0.0%	11.5%	4.5%
REDWOOD	1.6%	3.0%	0.0%	1.4%	8.0%	3.2%
RENVILLE	4.3%	0.0%	16.3%	14.9%	12.7%	4.5%
RICE	5.1%	1.4%	12.7%	7.5%	20.0%	15.3%
ROSEAU	2.7%	0.0%	10.2%	13.6%	22.7%	8.9%
ST. LOUIS	3.0%	1.0%	12.9%	13.2%	25.5%	21.8%
SCOTT	1.3%	0.2%	15.5%	11.1%	24.5%	18.0%
SHERBURNE	2.2%	0.6%	9.2%	12.6%	28.8%	16.7%
SIBLEY	0.0%	3.1%	8.4%	9.2%	20.3%	14.1%
STEARNS	1.2%	1.5%	10.2%	7.9%	18.7%	16.5%
STEELE	2.2%	0.5%	5.0%	5.6%	6.5%	8.3%
STEVENS	0.0%	0.0%	4.9%	5.0%	11.6%	18.2%
TODD	0.9%	0.0%	3.6%	9.5%	12.0%	9.4%
WABASHA	1.9%	2.1%	9.7%	11.4%	18.8%	8.5%
WADENA	1.1%	0.0%	10.2%	8.4%	12.0%	8.5%
WASECA	0.0%	0.0%	7.3%	1.7%	10.6%	13.4%
WASHINGTON	0.5%	0.4%	13.1%	9.8%	29.1%	19.5%
WATONWAN	0.0%	2.5%	13.2%	10.4%	13.6%	8.8%
WILKIN	0.0%	0.0%	1.9%	8.9%	35.5%	26.1%
WINONA	0.0%	0.0%	12.2%	10.3%	18.6%	22.4%
WRIGHT	0.4%	0.6%	13.1%	10.8%	18.1%	14.1%
YELLOW MEDICINE	0.0%	3.3%	14.3%	17.2%	10.5%	1.9%
STATEWIDE	1.6%	1.1%	11.9%	11.3%	22.1%	15.8%

Substance: Inhalants

Data Source: Minnesota Student Survey

STUDENTS REPORTING USE OF INHALANTS WITHIN THE PAST 12 MONTHS, BY COUNTY

	6TH GRADE		9TH GRADE		12TH GRADE	
	Male	Female	Male	Female	Male	Female
AITKIN	4.6%	0.0%	9.6%	8.8%	11.9%	0.0%
ANOKA	4.5%	3.5%	3.8%	5.1%	4.5%	2.4%
BECKER	5.8%	1.4%	8.4%	5.7%	8.3%	1.7%
BELTRAMI	14.7%	2.9%	5.9%	8.4%	3.5%	1.2%
BENTON	4.5%	3.2%	3.3%	4.8%	8.0%	0.8%
BIG STONE	0.0%	0.0%	12.2%	18.2%	6.3%	0.0%
BLUE EARTH	2.1%	1.9%	5.1%	6.8%	4.1%	2.1%
BROWN	6.7%	2.7%	4.9%	5.0%	2.0%	3.3%
CARLTON	3.9%	5.2%	6.0%	7.3%	4.3%	2.9%
CARVER	4.8%	5.1%	4.0%	5.2%	1.5%	2.5%
CASS	6.5%	4.1%	5.1%	10.0%	2.2%	0.0%
CLAY	1.8%	3.2%	5.0%	5.9%	0.8%	1.0%
COTTONWOOD	1.0%	2.6%	4.0%	1.2%	0.0%	1.0%
CROW WING	1.6%	3.5%	5.6%	9.6%	5.3%	0.6%
DAKOTA	5.3%	3.9%	4.6%	5.8%	3.6%	1.4%
DODGE	3.8%	0.9%	5.5%	10.2%	4.9%	0.0%
DOUGLAS	2.1%	0.0%	2.9%	6.7%	2.4%	3.8%
FARIBAULT	1.5%	2.6%	3.6%	9.6%	6.8%	1.4%
FILLMORE	1.4%	7.4%	2.7%	4.5%	7.7%	1.6%
FREEBORN	3.4%	2.0%	4.6%	8.3%	3.1%	2.4%
GOODHUE	2.8%	4.5%	5.4%	4.4%	3.8%	0.0%
GRANT	0.0%	0.0%	0.0%	2.9%	3.1%	5.9%
HENNEPIN	3.7%	2.5%	4.2%	4.4%	3.9%	1.4%
HOUSTON	1.0%	2.1%	4.3%	11.9%	6.1%	1.8%
HUBBARD	4.8%	3.0%	5.3%	12.8%	4.3%	0.0%
ISANTI	3.7%	3.5%	5.1%	10.5%	3.1%	1.6%
ITASCA	5.2%	4.7%	4.2%	4.3%	5.1%	7.5%
JACKSON	2.1%	3.6%	1.7%	0.0%	2.0%	4.1%
KANDIYOHI	1.9%	2.7%	3.5%	5.7%	1.0%	3.2%
KITSON	3.8%	0.0%	9.1%	3.4%	11.1%	0.0%
KOOCHICHING	4.8%	2.1%	0.0%	6.2%	2.3%	2.1%
LAC QUI PARLE	0.0%	1.9%	10.9%	3.0%	3.3%	1.4%
LE SUEUR	6.5%	4.3%	5.3%	2.8%	7.4%	2.3%
LINCOLN	0.0%	0.0%	2.3%	2.6%	2.2%	0.0%
LYON	2.9%	0.7%	5.4%	8.2%	2.4%	0.8%
MCLEOD	6.1%	4.1%	5.6%	5.1%	5.4%	2.8%

	6TH GRADE		9TH GRADE		12TH GRADE	
	Male	Female	Male	Female	Male	Female
MARSHALL	0.0%	0.0%	1.8%	0.0%	4.4%	0.0%
MARTIN	1.3%	4.7%	8.4%	4.0%	12.5%	1.1%
MEEKER	3.9%	4.0%	1.7%	7.1%	1.2%	1.9%
MILLE LACS	7.0%	5.9%	5.5%	9.1%	7.5%	0.6%
MORRISON	5.4%	2.9%	12.2%	4.6%	4.3%	2.5%
MOWER	6.4%	2.4%	4.5%	6.3%	5.7%	3.9%
MURRAY	2.1%	1.9%	17.0%	4.4%	9.3%	4.1%
NICOLLET	3.1%	4.3%	8.2%	2.5%	2.0%	1.6%
NOBLES	3.4%	0.9%	1.8%	3.8%	1.1%	3.6%
NORMAN	4.1%	0.0%	6.7%	2.4%	0.0%	0.0%
OLMSTED	4.6%	3.8%	4.3%	6.8%	1.6%	1.3%
OTTER TAIL	2.4%	1.9%	6.4%	3.7%	3.4%	3.0%
PINE	8.1%	1.8%	8.9%	7.7%	4.4%	3.7%
PIPESTONE	2.0%	1.6%	0.0%	4.3%	8.3%	0.0%
POLK	3.9%	3.2%	7.0%	7.2%	6.5%	0.0%
RAMSEY	3.6%	3.0%	4.0%	5.6%	4.9%	1.5%
REDLAKE	4.2%	9.5%	0.0%	4.2%	0.0%	0.0%
REDWOOD	1.6%	6.2%	4.5%	4.1%	6.7%	0.0%
RENVILLE	2.1%	0.0%	7.0%	7.4%	3.4%	0.0%
RICE	5.1%	3.5%	2.8%	3.1%	4.7%	2.8%
ROSEAU	7.2%	2.9%	6.5%	9.6%	3.4%	1.0%
ST. LOUIS	3.7%	3.1%	4.4%	6.0%	5.5%	2.5%
SCOTT	3.4%	2.9%	4.6%	5.0%	3.9%	1.8%
SHERBURNE	4.9%	3.4%	4.2%	5.0%	4.9%	1.8%
SIBLEY	4.1%	6.3%	5.6%	9.2%	8.3%	5.1%
STEARNS	5.2%	2.9%	4.7%	4.6%	4.7%	1.5%
STEELE	4.5%	1.9%	4.3%	3.0%	2.1%	0.6%
STEVENS	0.0%	3.4%	9.8%	0.0%	2.3%	4.7%
TODD	3.5%	7.0%	2.1%	8.1%	6.9%	0.8%
WABASHA	4.7%	4.2%	3.9%	5.6%	8.0%	1.7%
WADENA	9.8%	2.9%	9.0%	6.2%	2.0%	2.8%
WASECA	1.7%	4.7%	3.6%	1.7%	2.7%	1.0%
WASHINGTON	3.7%	1.2%	5.6%	5.8%	5.7%	1.7%
WATONWAN	4.1%	5.1%	5.9%	1.4%	6.8%	5.9%
WILKIN	0.0%	2.1%	3.7%	9.3%	3.3%	2.2%
WINONA	3.3%	0.0%	7.7%	4.5%	1.4%	1.3%
WRIGHT	2.5%	2.6%	5.4%	7.0%	3.6%	1.6%
YELLOW MEDICINE	3.4%	3.3%	6.3%	13.8%	3.9%	0.0%
STATEWIDE	4.0%	3.0%	4.7%	5.6%	4.2%	1.8%

Substance: Methamphetamine
Data Source: Minnesota Student Survey

STUDENTS REPORTING METHAMPHETAMINE USE WITHIN THE PAST 12 MONTHS, BY COUNTY

	9TH GRADE		12TH GRADE	
	Male	Female	Male	Female
AITKIN	5.8%	10.5%	11.9%	14.3%
ANOKA	5.2%	4.1%	9.6%	6.9%
BECKER	5.3%	5.7%	9.8%	1.8%
BELTRAMI	4.4%	5.5%	4.2%	5.6%
BENTON	1.6%	4.2%	7.1%	3.2%
BIG STONE	2.4%	9.1%	6.3%	4.3%
BLUE EARTH	4.8%	4.2%	8.7%	4.3%
BROWN	3.6%	3.6%	4.0%	4.2%
CARLTON	4.4%	4.4%	6.9%	7.4%
CARVER	2.4%	4.1%	3.7%	5.4%
CASS	7.7%	6.7%	2.2%	9.4%
CLAY	6.6%	4.4%	4.9%	3.9%
COTTONWOOD	4.0%	0.0%	0.0%	2.1%
CROW WING	2.6%	5.6%	6.0%	1.7%
DAKOTA	4.4%	5.1%	5.4%	4.3%
DODGE	10.1%	4.8%	3.7%	3.4%
DOUGLAS	1.7%	11.0%	9.4%	8.5%
FARIBAULT	0.0%	7.1%	6.8%	4.1%
FILLMORE	1.4%	3.0%	5.8%	3.3%
FREEBORN	4.6%	3.6%	4.1%	2.4%
GOODHUE	4.0%	4.0%	4.5%	3.6%
GRANT	0.0%	0.0%	12.5%	5.9%
HENNEPIN	3.8%	2.9%	4.9%	2.5%
HOUSTON	4.3%	6.0%	5.1%	3.5%
HUBBARD	8.6%	9.6%	8.7%	3.4%
ISANTI	3.9%	7.8%	4.7%	3.2%
ITASCA	3.2%	7.2%	15.2%	7.6%
JACKSON	0.0%	0.0%	8.2%	14.3%
KANDIYOHI	4.7%	5.1%	5.1%	11.8%
KITSON	0.0%	0.0%	7.4%	0.0%
KOOCHICHING	7.3%	6.2%	9.1%	10.6%
LAC QUI PARLE	9.4%	3.0%	3.4%	0.0%
LE SUEUR	3.0%	5.0%	10.6%	3.0%
LINCOLN	0.0%	0.0%	0.0%	0.0%
LYON	4.2%	4.1%	5.6%	2.3%
MCLEOD	3.6%	4.1%	8.2%	8.3%

	9TH GRADE		12TH GRADE	
	Male	Female	Male	Female
MARSHALL	0.0%	0.0%	2.2%	0.0%
MARTIN	3.6%	6.1%	14.6%	5.7%
MEEKER	3.4%	4.9%	1.8%	2.5%
MILLE LACS	5.6%	7.3%	7.5%	2.5%
MORRISON	7.8%	3.4%	10.1%	1.3%
MOWER	0.7%	4.4%	5.7%	3.1%
MURRAY	12.8%	4.4%	2.3%	4.2%
NICOLLET	4.8%	3.7%	2.0%	5.0%
NOBLES	2.7%	3.8%	4.3%	3.6%
NORMAN	2.3%	0.0%	3.3%	5.6%
OLMSTED	4.1%	2.6%	1.2%	2.6%
OTTER TAIL	4.3%	2.3%	6.2%	3.0%
PINE	4.5%	7.0%	8.8%	3.7%
PIPESTONE	8.7%	4.3%	8.3%	4.7%
POLK	3.1%	2.2%	4.6%	3.1%
RAMSEY	4.9%	4.3%	7.0%	4.0%
REDLAKE	0.0%	0.0%	0.0%	4.3%
REDWOOD	0.0%	0.0%	4.0%	0.0%
RENVILLE	7.0%	6.0%	1.7%	1.5%
RICE	3.3%	3.6%	3.5%	4.4%
ROSEAU	0.9%	4.0%	5.9%	2.0%
ST. LOUIS	3.8%	3.8%	6.9%	4.9%
SCOTT	3.7%	4.3%	9.0%	4.9%
SHERBURNE	2.8%	3.6%	7.4%	5.5%
SIBLEY	5.6%	6.7%	11.7%	10.3%
STEARNS	4.2%	3.5%	6.5%	3.8%
STEELE	2.9%	0.6%	2.8%	3.8%
STEVENS	0.0%	2.4%	2.3%	14.0%
TODD	2.1%	6.7%	6.9%	5.5%
WABASHA	2.6%	2.8%	2.9%	4.3%
WADENA	4.0%	2.1%	11.1%	2.8%
WASECA	1.8%	1.7%	3.5%	4.1%
WASHINGTON	4.7%	4.5%	7.2%	4.3%
WATONWAN	7.4%	1.4%	6.8%	4.4%
WILKIN	0.0%	5.5%	3.3%	2.2%
WINONA	4.4%	3.4%	1.4%	2.5%
WRIGHT	3.2%	4.0%	7.3%	4.5%
YELLOW MEDICINE	3.2%	7.7%	2.6%	0.0%
STATEWIDE	4.1%	4.1%	6.1%	4.3%

Substance: Prescription Drugs
Data Source: Minnesota Student Survey

**STUDENTS REPORTING USE OF SOMEONE ELSE'S PRESCRIPTION DRUGS
 WITHIN THE PAST 12 MONTHS, BY COUNTY**

	6TH GRADE		9TH GRADE		12TH GRADE	
	Male	Female	Male	Female	Male	Female
AITKIN	0.0%	0.0%	11.5%	15.8%	15.0%	11.4%
ANOKA	1.4%	1.6%	6.1%	8.9%	11.2%	9.4%
BECKER	2.2%	2.2%	6.9%	12.7%	10.6%	7.0%
BELTRAMI	8.8%	3.9%	7.9%	10.5%	7.0%	10.6%
BENTON	3.8%	2.6%	4.4%	11.6%	15.3%	6.4%
BIG STONE	0.0%	0.0%	15.0%	4.5%	9.4%	4.3%
BLUE EARTH	0.3%	1.1%	5.5%	11.5%	10.6%	8.1%
BROWN	1.9%	1.8%	5.7%	8.7%	11.1%	12.5%
CARLTON	0.6%	2.6%	4.9%	14.6%	11.2%	11.8%
CARVER	2.7%	1.3%	4.5%	9.6%	12.1%	12.2%
CASS	3.2%	0.8%	7.7%	15.6%	4.3%	13.2%
CLAY	0.7%	2.4%	7.0%	9.6%	7.0%	5.4%
COTTONWOOD	0.0%	0.0%	4.0%	2.5%	1.7%	3.1%
CROW WING	1.0%	1.0%	6.0%	11.9%	11.8%	5.1%
DAKOTA	1.5%	1.3%	7.1%	9.6%	13.6%	9.5%
DODGE	4.7%	0.0%	13.9%	9.5%	4.9%	2.3%
DOUGLAS	0.7%	1.4%	3.4%	9.8%	10.9%	14.6%
FARIBAULT	0.0%	2.6%	4.9%	11.9%	8.1%	4.1%
FILLMORE	0.0%	3.0%	8.1%	8.8%	9.6%	6.7%
FREEBORN	2.1%	1.3%	5.9%	11.9%	7.2%	5.5%
GOODHUE	1.4%	3.1%	4.5%	6.0%	11.5%	8.3%
GRANT	7.4%	0.0%	0.0%	5.6%	6.3%	8.8%
HENNEPIN	1.7%	1.4%	6.5%	7.4%	11.6%	8.9%
HOUSTON	1.0%	1.0%	5.3%	15.4%	8.1%	7.9%
HUBBARD	3.6%	1.5%	7.4%	20.2%	7.4%	5.2%
ISANTI	2.7%	2.4%	7.4%	20.2%	11.7%	7.9%
ITASCA	0.6%	3.3%	8.4%	13.9%	13.1%	15.2%
JACKSON	2.1%	3.6%	3.4%	6.8%	10.2%	14.3%
KANDIYOHI	1.0%	0.0%	4.1%	9.0%	5.1%	10.8%
KITSON	3.8%	0.0%	4.5%	3.4%	14.8%	3.3%
KOOCHICHING	3.2%	4.2%	1.8%	13.8%	6.8%	17.0%
LAC QUI PARLE	1.8%	1.9%	9.4%	6.0%	1.7%	1.4%
LE SUEUR	0.8%	1.4%	5.3%	6.4%	22.3%	3.1%
LINCOLN	0.0%	0.0%	2.3%	2.6%	2.2%	0.0%
LYON	0.9%	0.7%	4.8%	4.7%	6.5%	2.3%
MCLEOD	0.6%	1.2%	2.0%	5.6%	11.6%	9.7%

	6TH GRADE		9TH GRADE		12TH GRADE	
	Male	Female	Male	Female	Male	Female
MARSHALL	0.0%	0.0%	0.0%	3.0%	6.7%	4.3%
MARTIN	0.0%	2.3%	18.1%	6.0%	14.3%	9.2%
MEEKER	1.9%	1.5%	2.8%	7.6%	4.1%	3.8%
MILLE LACS	2.8%	5.0%	5.5%	15.6%	10.3%	4.5%
MORRISON	5.4%	1.4%	6.7%	9.3%	15.9%	8.8%
MOWER	4.3%	0.9%	4.5%	8.2%	4.8%	7.9%
MURRAY	0.0%	0.0%	10.6%	6.7%	16.3%	14.6%
NICOLLET	1.5%	1.4%	9.8%	6.2%	2.0%	11.7%
NOBLES	1.7%	1.8%	3.6%	5.7%	9.6%	3.6%
NORMAN	0.0%	0.0%	6.7%	7.3%	13.3%	2.8%
OLMSTED	2.6%	1.1%	3.9%	7.6%	4.7%	5.1%
OTTER TAIL	1.6%	1.5%	5.2%	6.0%	6.2%	6.6%
PINE	4.8%	2.7%	6.4%	9.3%	10.6%	7.5%
PIPESTONE	2.0%	1.6%	0.0%	8.5%	8.3%	7.0%
POLK	1.6%	1.6%	4.7%	9.5%	9.3%	4.1%
RAMSEY	2.2%	1.8%	6.2%	8.4%	12.1%	8.6%
REDLAKE	4.2%	0.0%	0.0%	4.2%	3.8%	4.2%
REDWOOD	1.5%	3.1%	0.0%	4.1%	5.3%	0.0%
RENVILLE	4.3%	1.9%	9.3%	10.3%	5.1%	3.0%
RICE	2.5%	1.4%	3.8%	5.1%	8.2%	8.4%
ROSEAU	1.8%	1.0%	4.7%	8.8%	10.9%	3.9%
ST. LOUIS	3.2%	1.8%	6.9%	9.6%	15.6%	13.1%
SCOTT	1.3%	0.9%	7.7%	6.1%	14.5%	9.5%
SHERBURNE	3.5%	2.1%	6.2%	9.6%	13.2%	9.6%
SIBLEY	1.4%	1.6%	4.7%	5.3%	11.7%	7.7%
STEARNS	0.9%	1.5%	5.5%	6.8%	9.3%	4.4%
STEELE	2.2%	1.5%	5.8%	4.8%	4.3%	1.9%
STEVENS	0.0%	0.0%	0.0%	2.4%	2.3%	9.3%
TODD	0.0%	1.8%	2.1%	6.1%	9.5%	7.0%
WABASHA	1.9%	2.1%	3.2%	5.6%	7.3%	11.2%
WADENA	4.3%	0.0%	8.0%	8.2%	4.0%	7.0%
WASECA	0.0%	2.4%	3.6%	3.5%	7.1%	7.1%
WASHINGTON	1.3%	0.6%	7.4%	10.2%	17.2%	12.0%
WATONWAN	2.1%	2.5%	8.7%	5.8%	15.3%	11.9%
WILKIN	0.0%	2.1%	0.0%	12.7%	6.7%	6.5%
WINONA	0.0%	0.0%	11.1%	9.0%	14.3%	7.7%
WRIGHT	0.8%	1.0%	6.7%	11.2%	11.7%	10.3%
YELLOW MEDICINE	0.0%	3.3%	14.3%	13.8%	5.3%	1.9%
STATEWIDE	1.8%	1.5%	6.1%	8.8%	11.0%	8.5%

Substance: MDMA/Ecstasy
Data Source: Minnesota Student Survey

STUDENTS REPORTING USE OF MDMA/ ECSTASY WITHIN THE PAST 12 MONTHS, BY COUNTY

	9TH GRADE		12TH GRADE	
	Male	Female	Male	Female
AITKIN	3.8%	3.5%	6.8%	0.0%
ANOKA	4.2%	3.4%	8.0%	5.6%
BECKER	6.1%	3.2%	3.0%	0.0%
BELTRAMI	4.4%	2.5%	5.6%	2.5%
BENTON	1.6%	3.2%	4.4%	0.8%
BIG STONE	2.4%	0.0%	3.1%	2.1%
BLUE EARTH	4.0%	2.9%	6.0%	5.6%
BROWN	1.4%	2.9%	1.0%	0.8%
CARLTON	3.3%	3.4%	4.3%	5.1%
CARVER	2.8%	2.2%	4.1%	5.0%
CASS	1.3%	8.9%	4.3%	5.7%
CLAY	3.5%	2.6%	4.1%	1.0%
COTTONWOOD	2.7%	0.0%	0.0%	1.0%
CROW WING	1.7%	3.3%	4.0%	1.1%
DAKOTA	3.8%	3.6%	6.3%	2.9%
DODGE	5.5%	0.8%	2.4%	0.0%
DOUGLAS	1.7%	4.3%	3.1%	3.8%
FARIBAULT	1.2%	1.2%	5.4%	0.0%
FILLMORE	4.1%	1.5%	3.8%	1.6%
FREEBORN	3.9%	4.1%	3.1%	2.4%
GOODHUE	3.4%	3.6%	1.3%	3.6%
GRANT	0.0%	0.0%	9.4%	5.9%
HENNEPIN	3.7%	2.1%	4.9%	2.6%
HOUSTON	6.5%	6.8%	5.1%	4.4%
HUBBARD	2.1%	5.3%	1.4%	0.0%
ISANTI	5.1%	3.3%	3.9%	1.6%
ITASCA	4.3%	2.4%	3.0%	3.8%
JACKSON	1.8%	0.0%	4.1%	10.2%
KANDIYOHI	4.7%	1.9%	1.0%	3.2%
KITSON	0.0%	0.0%	7.4%	0.0%
KOOCHICHING	3.6%	4.6%	0.0%	0.0%
LAC QUI PARLE	3.1%	3.0%	3.3%	0.0%
LE SUEUR	2.3%	2.8%	10.5%	3.8%
LINCOLN	0.0%	0.0%	2.2%	0.0%
LYON	3.6%	3.4%	4.0%	0.8%
MCLEOD	1.0%	2.6%	3.4%	1.4%

	9TH GRADE		12TH GRADE	
	Male	Female	Male	Female
MARSHALL	0.0%	0.0%	4.4%	0.0%
MARTIN	3.6%	3.0%	4.1%	1.1%
MEEKER	3.9%	2.7%	0.6%	0.6%
MILLE LACS	3.3%	3.2%	5.5%	0.0%
MORRISON	5.6%	3.4%	4.3%	1.3%
MOWER	0.0%	3.1%	3.8%	1.6%
MURRAY	6.4%	2.2%	2.3%	0.0%
NICOLLET	3.2%	3.7%	3.9%	3.3%
NOBLES	2.7%	3.8%	4.3%	2.7%
NORMAN	0.0%	0.0%	0.0%	0.0%
OLMSTED	3.8%	2.4%	1.2%	1.9%
OTTER TAIL	2.6%	0.5%	0.6%	1.2%
PINE	6.3%	1.6%	2.7%	1.9%
PIPESTONE	0.0%	2.1%	4.2%	2.3%
POLK	3.1%	1.4%	2.8%	0.0%
RAMSEY	4.2%	3.2%	6.3%	2.4%
REDLAKE	0.0%	4.2%	0.0%	0.0%
REDWOOD	0.0%	0.0%	1.3%	1.6%
RENVILLE	4.7%	7.5%	1.7%	0.0%
RICE	1.9%	2.0%	3.5%	1.1%
ROSEAU	0.9%	2.4%	2.5%	1.0%
ST. LOUIS	2.6%	1.0%	3.8%	1.7%
SCOTT	2.1%	2.2%	8.0%	3.7%
SHERBURNE	2.1%	3.2%	3.9%	3.2%
SIBLEY	3.7%	1.3%	3.3%	3.8%
STEARNS	2.0%	2.4%	3.9%	1.9%
STEELE	1.4%	0.0%	5.6%	2.5%
STEVENS	0.0%	0.0%	0.0%	4.7%
TODD	0.0%	2.7%	1.7%	5.5%
WABASHA	0.7%	1.1%	3.6%	0.9%
WADENA	2.0%	1.0%	4.0%	0.0%
WASECA	0.9%	0.9%	1.8%	3.1%
WASHINGTON	3.6%	2.7%	5.9%	2.2%
WATONWAN	5.9%	1.4%	1.7%	0.0%
WILKIN	0.0%	0.0%	3.3%	0.0%
WINONA	1.1%	2.2%	0.0%	2.5%
WRIGHT	3.7%	2.0%	4.0%	2.3%
YELLOW MEDICINE	7.9%	7.7%	1.3%	0.0%
STATEWIDE	3.3%	2.7%	4.7%	2.5%

Substance: Cocaine/Crack

Data Source: Minnesota Student Survey

STUDENTS REPORTING USE OF COCAINE OR CRACK IN THE PAST 12 MONTHS, BY COUNTY

	9TH GRADE		12TH GRADE	
	Male	Female	Male	Female
AITKIN	1.9%	8.8%	15.3%	0.0%
ANOKA	4.6%	3.0%	9.5%	7.1%
BECKER	6.9%	3.8%	8.3%	1.8%
BELTRAMI	2.9%	5.5%	4.2%	4.3%
BENTON	1.1%	3.2%	9.7%	0.8%
BIG STONE	4.9%	9.1%	3.1%	4.3%
BLUE EARTH	5.5%	2.9%	10.1%	5.6%
BROWN	5.0%	5.8%	6.1%	6.7%
CARLTON	3.3%	3.9%	6.9%	6.6%
CARVER	3.3%	4.3%	9.9%	7.2%
CASS	6.4%	6.7%	4.3%	11.3%
CLAY	5.1%	2.9%	5.7%	2.9%
COTTONWOOD	2.7%	0.0%	0.0%	2.1%
CROW WING	1.0%	5.6%	2.0%	2.2%
DAKOTA	4.0%	4.1%	7.3%	4.2%
DODGE	8.2%	2.4%	2.4%	3.4%
DOUGLAS	1.7%	7.4%	7.1%	7.7%
FARIBAULT	0.0%	7.1%	8.1%	0.0%
FILLMORE	4.1%	1.5%	3.8%	4.9%
FREEBORN	3.3%	5.3%	6.2%	3.1%
GOODHUE	2.5%	4.0%	7.1%	3.6%
GRANT	0.0%	0.0%	9.4%	5.9%
HENNEPIN	4.2%	2.5%	6.8%	4.2%
HOUSTON	3.2%	8.5%	6.1%	4.4%
HUBBARD	5.4%	7.4%	4.3%	1.7%
ISANTI	4.5%	5.0%	8.6%	2.4%
ITASCA	5.3%	7.2%	13.1%	7.6%
JACKSON	1.8%	0.0%	8.2%	8.2%
KANDIYOHI	5.3%	4.4%	4.0%	7.4%
KITSON	0.0%	0.0%	14.8%	0.0%
KOOCHICHING	5.5%	6.2%	6.8%	8.5%
LAC QUI PARLE	7.8%	1.5%	8.5%	1.4%
LE SUEUR	3.8%	5.7%	9.5%	3.8%
LINCOLN	0.0%	0.0%	0.0%	0.0%
LYON	4.8%	5.5%	5.6%	2.3%
MCLEOD	3.1%	3.1%	8.8%	4.8%

	9TH GRADE		12TH GRADE	
	Male	Female	Male	Female
MARSHALL	0.0%	0.0%	2.2%	0.0%
MARTIN	6.0%	5.1%	4.2%	4.6%
MEEKER	3.4%	4.3%	1.8%	0.0%
MILLE LACS	4.9%	6.4%	9.6%	1.9%
MORRISON	7.8%	1.1%	8.7%	1.3%
MOWER	0.7%	5.6%	6.7%	7.1%
MURRAY	4.3%	6.7%	2.3%	0.0%
NICOLLET	4.8%	4.9%	3.9%	6.7%
NOBLES	0.9%	2.9%	6.5%	4.5%
NORMAN	2.2%	0.0%	6.7%	5.6%
OLMSTED	4.7%	3.0%	2.8%	1.3%
OTTER TAIL	3.4%	0.9%	4.5%	2.4%
PINE	4.5%	5.4%	9.7%	2.8%
PIPESTONE	6.5%	4.3%	8.3%	2.3%
POLK	3.1%	2.9%	6.5%	3.1%
RAMSEY	4.1%	3.3%	7.0%	3.7%
REDLAKE	0.0%	4.2%	0.0%	4.3%
REDWOOD	0.0%	1.4%	2.7%	0.0%
RENVILLE	4.7%	7.5%	1.7%	1.5%
RICE	4.7%	3.2%	5.8%	6.7%
ROSEAU	0.9%	7.2%	5.0%	1.0%
ST. LOUIS	3.2%	3.8%	5.7%	5.1%
SCOTT	4.1%	4.1%	9.3%	6.1%
SHERBURNE	3.0%	3.4%	7.8%	3.7%
SIBLEY	4.7%	5.3%	10.0%	9.0%
STEARNS	2.3%	2.6%	5.9%	2.9%
STEELE	3.6%	0.0%	2.8%	2.5%
STEVENS	0.0%	0.0%	2.3%	11.6%
TODD	0.7%	6.7%	6.0%	4.7%
WABASHA	3.9%	1.7%	6.6%	3.4%
WADENA	5.0%	3.1%	9.1%	2.8%
WASECA	1.8%	1.7%	3.5%	4.1%
WASHINGTON	4.0%	4.4%	9.0%	5.1%
WATONWAN	7.4%	2.9%	16.9%	5.9%
WILKIN	1.9%	5.5%	6.7%	2.2%
WINONA	3.3%	3.4%	2.9%	3.8%
WRIGHT	4.7%	3.0%	5.1%	4.8%
YELLOW MEDICINE	1.6%	3.1%	1.3%	0.0%
STATEWIDE	3.8%	3.6%	6.9%	4.3%

Substance: Psychedelics

Data Source: Minnesota Student Survey

**STUDENTS REPORTING USE OF LSD, PCP OR OTHER PSYCHEDELICS
WITHIN THE PAST 12 MONTHS, BY COUNTY**

	9TH GRADE		12TH GRADE	
	Male	Female	Male	Female
AITKIN	1.9%	3.5%	10.2%	11.4%
ANOKA	4.5%	2.5%	8.1%	2.7%
BECKER	6.1%	3.8%	7.6%	1.8%
BELTRAMI	4.9%	4.6%	4.2%	1.2%
BENTON	1.6%	3.1%	8.8%	2.4%
BIG STONE	7.3%	4.5%	6.3%	2.1%
BLUE EARTH	4.4%	2.6%	10.1%	4.7%
BROWN	2.2%	4.3%	6.1%	1.7%
CARLTON	3.3%	2.9%	7.8%	2.9%
CARVER	3.3%	2.4%	4.4%	4.0%
CASS	3.8%	10.0%	4.3%	5.7%
CLAY	3.5%	1.8%	4.1%	0.0%
COTTONWOOD	4.0%	1.2%	0.0%	0.0%
CROW WING	3.3%	4.3%	6.6%	1.7%
DAKOTA	4.1%	3.2%	7.3%	2.3%
DODGE	8.2%	4.0%	2.4%	0.0%
DOUGLAS	2.3%	3.0%	4.7%	3.1%
FARIBAULT	0.0%	6.0%	8.1%	1.4%
FILLMORE	2.7%	3.0%	5.8%	1.6%
FREEBORN	3.3%	4.8%	4.1%	2.4%
GOODHUE	3.0%	2.8%	2.6%	1.8%
GRANT	0.0%	0.0%	9.4%	2.9%
HENNEPIN	4.5%	2.0%	8.3%	2.7%
HOUSTON	6.5%	1.7%	7.1%	3.5%
HUBBARD	4.2%	5.3%	1.4%	0.0%
ISANTI	5.1%	3.9%	6.3%	1.6%
ITASCA	4.2%	4.3%	8.1%	3.8%
JACKSON	1.8%	0.0%	8.2%	10.2%
KANDIYOHI	5.8%	1.9%	3.0%	2.1%
KITSON	0.0%	3.4%	7.1%	0.0%
KOOCHICHING	5.5%	3.1%	0.0%	4.3%
LAC QUI PARLE	4.7%	3.0%	1.7%	0.0%
LE SUEUR	1.5%	2.1%	9.5%	3.0%
LINCOLN	2.3%	0.0%	2.2%	0.0%
LYON	4.2%	2.7%	4.9%	1.5%
MCLEOD	2.6%	2.0%	5.4%	2.1%

	9TH GRADE		12TH GRADE	
	Male	Female	Male	Female
MARSHALL	0.0%	3.0%	6.7%	0.0%
MARTIN	3.6%	5.1%	10.2%	2.3%
MEEKER	2.8%	1.6%	2.4%	0.6%
MILLE LACS	6.0%	3.7%	6.8%	1.9%
MORRISON	5.6%	1.1%	2.9%	1.3%
MOWER	3.0%	3.8%	6.7%	2.4%
MURRAY	4.3%	0.0%	4.7%	0.0%
NICOLLET	3.3%	2.5%	3.9%	1.7%
NOBLES	1.8%	2.9%	5.4%	3.6%
NORMAN	4.5%	0.0%	3.3%	0.0%
OLMSTED	3.8%	2.6%	2.8%	2.6%
OTTER TAIL	4.7%	1.4%	3.4%	0.6%
PINE	5.4%	3.9%	5.4%	0.0%
PIPESTONE	0.0%	4.3%	6.3%	2.3%
POLK	3.9%	1.4%	4.6%	1.0%
RAMSEY	4.3%	3.2%	7.5%	2.8%
REDLAKE	0.0%	0.0%	0.0%	0.0%
REDWOOD	0.0%	0.0%	2.7%	0.0%
RENVILLE	4.7%	6.0%	1.7%	0.0%
RICE	2.4%	1.6%	4.7%	2.8%
ROSEAU	2.8%	2.4%	3.4%	0.0%
ST. LOUIS	2.9%	2.4%	5.3%	2.5%
SCOTT	3.4%	1.5%	9.4%	2.1%
SHERBURNE	3.0%	2.8%	8.3%	1.4%
SIBLEY	4.7%	2.6%	5.0%	2.5%
STEARNS	2.7%	2.2%	4.2%	2.1%
STEELE	3.5%	0.6%	3.5%	1.9%
STEVENS	0.0%	0.0%	0.0%	4.7%
TODD	0.7%	3.4%	3.4%	3.1%
WABASHA	1.9%	1.7%	2.9%	2.6%
WADENA	4.0%	0.0%	5.1%	1.4%
WASECA	2.7%	0.9%	3.5%	3.1%
WASHINGTON	5.0%	3.7%	8.6%	2.5%
WATONWAN	7.4%	0.0%	3.4%	1.5%
WILKIN	0.0%	1.9%	6.7%	0.0%
WINONA	3.3%	3.4%	1.4%	1.3%
WRIGHT	3.2%	2.0%	4.7%	1.6%
YELLOW MEDICINE	6.3%	3.1%	0.0%	0.0%
STATEWIDE	3.9%	2.7%	6.4%	2.3%

Substance: Opiates

Data Source: Minnesota Student Survey

**STUDENTS REPORTING USE OF HEROIN OR OTHER OPIATES
IN THE PAST 12 MONTHS, BY COUNTY**

	9TH GRADE		12TH GRADE	
	Male	Female	Male	Female
AITKIN	1.9%	0.0%	11.9%	0.0%
ANOKA	3.2%	2.2%	5.2%	1.4%
BECKER	4.6%	2.5%	4.5%	0.0%
BELTRAMI	2.5%	2.5%	4.9%	1.2%
BENTON	1.1%	1.6%	3.6%	0.0%
BIG STONE	5.0%	0.0%	6.3%	0.0%
BLUE EARTH	4.4%	2.3%	5.0%	3.4%
BROWN	3.6%	3.6%	3.0%	0.8%
CARLTON	2.2%	2.4%	3.4%	1.5%
CARVER	2.6%	1.4%	3.7%	1.8%
CASS	2.6%	4.4%	2.2%	1.9%
CLAY	3.5%	1.5%	2.9%	0.5%
COTTONWOOD	1.3%	1.2%	0.0%	0.0%
CROW WING	1.3%	1.0%	3.3%	0.6%
DAKOTA	3.1%	3.2%	4.3%	1.4%
DODGE	7.4%	1.6%	3.7%	0.0%
DOUGLAS	1.7%	4.9%	3.1%	1.5%
FARIBAULT	0.0%	1.2%	4.1%	1.4%
FILLMORE	1.4%	1.5%	7.7%	1.7%
FREEBORN	4.6%	3.0%	2.1%	1.6%
GOODHUE	2.0%	1.6%	1.3%	0.6%
GRANT	0.0%	0.0%	3.1%	0.0%
HENNEPIN	3.5%	1.5%	4.8%	1.2%
HOUSTON	4.3%	3.4%	4.0%	4.4%
HUBBARD	4.3%	3.2%	4.4%	1.7%
ISANTI	3.4%	5.6%	4.7%	0.8%
ITASCA	2.6%	2.4%	6.1%	5.1%
JACKSON	1.8%	0.0%	8.2%	2.0%
KANDIYOHI	5.9%	2.6%	2.0%	3.2%
KITSON	0.0%	0.0%	7.4%	0.0%
KOOCHICHING	1.8%	0.0%	0.0%	0.0%
LAC QUI PARLE	6.3%	4.5%	1.7%	0.0%
LE SUEUR	2.3%	2.1%	9.6%	2.3%
LINCOLN	0.0%	0.0%	2.2%	0.0%
LYON	3.0%	3.4%	1.6%	0.8%
MCLEOD	0.5%	1.5%	3.4%	2.1%

	9TH GRADE		12TH GRADE	
	Male	Female	Male	Female
MARSHALL	0.0%	0.0%	2.2%	0.0%
MARTIN	2.4%	4.0%	4.1%	1.1%
MEEKER	3.4%	1.6%	0.6%	0.6%
MILLE LACS	3.9%	5.0%	6.2%	1.3%
MORRISON	8.9%	0.0%	5.8%	0.0%
MOWER	0.7%	2.5%	1.0%	0.8%
MURRAY	4.3%	2.2%	2.3%	0.0%
NICOLLET	4.9%	3.7%	5.9%	0.0%
NOBLES	0.9%	1.9%	4.3%	0.9%
NORMAN	0.0%	0.0%	0.0%	0.0%
OLMSTED	2.0%	2.4%	2.0%	1.0%
OTTER TAIL	3.4%	1.4%	1.1%	0.6%
PINE	3.6%	3.9%	0.9%	0.0%
PIPESTONE	0.0%	2.1%	4.2%	0.0%
POLK	1.6%	2.2%	3.7%	0.0%
RAMSEY	3.6%	2.2%	4.8%	1.5%
REDLAKE	0.0%	0.0%	0.0%	0.0%
REDWOOD	0.0%	0.0%	1.3%	0.0%
RENVILLE	4.7%	5.9%	1.7%	0.0%
RICE	5.2%	1.6%	3.5%	2.8%
ROSEAU	0.9%	2.4%	1.7%	0.0%
ST. LOUIS	1.5%	1.9%	3.4%	1.5%
SCOTT	3.2%	1.5%	5.1%	1.2%
SHERBURNE	2.3%	2.0%	6.4%	1.4%
SIBLEY	4.7%	4.0%	0.0%	1.3%
STEARNS	2.5%	0.9%	3.2%	0.8%
STEELE	1.5%	0.0%	2.1%	1.3%
STEVENS	0.0%	0.0%	0.0%	2.3%
TODD	0.0%	2.7%	1.7%	0.0%
WABASHA	0.6%	1.1%	1.5%	0.0%
WADENA	5.0%	1.0%	0.0%	0.0%
WASECA	0.9%	0.9%	2.7%	1.0%
WASHINGTON	3.1%	2.4%	4.4%	1.4%
WATONWAN	4.4%	0.0%	1.7%	1.5%
WILKIN	0.0%	3.7%	0.0%	0.0%
WINONA	3.3%	1.1%	0.0%	0.0%
WRIGHT	3.7%	1.8%	3.3%	1.6%
YELLOW MEDICINE	1.6%	3.1%	1.3%	0.0%
STATEWIDE	3.0%	2.1%	3.9%	1.2%

Substance: Illicit Drugs

Data Source: Minnesota Student Survey

STUDENTS REPORTING DRUG USE IN THE PAST 12 MONTHS, OTHER THAN MARIJUANA, BY COUNTY

(includes: inhalants, LSD/psychedelics, MDMA (ecstasy), crack/cocaine, barbiturates, methamphetamine, amphetamines, opiates, others' prescription drugs)

	6TH GRADE		9TH GRADE		12TH GRADE	
	Male	Female	Male	Female	Male	Female
AITKIN	6.3%	0.0%	22.2%	26.4%	25.9%	19.4%
ANOKA	5.3%	4.4%	13.6%	15.3%	21.9%	18.4%
BECKER	7.4%	2.2%	16.0%	17.8%	20.0%	10.7%
BELTRAMI	18.6%	7.4%	15.8%	20.1%	12.4%	18.4%
BENTON	5.8%	4.6%	8.9%	15.2%	23.2%	9.8%
BIG STONE	0.0%	0.0%	22.5%	25.0%	21.4%	12.8%
BLUE EARTH	2.1%	4.1%	11.6%	16.8%	22.5%	20.5%
BROWN	7.7%	2.7%	12.1%	15.9%	15.5%	16.7%
CARLTON	4.5%	5.9%	10.7%	15.3%	19.4%	18.7%
CARVER	6.1%	5.1%	8.4%	15.8%	21.9%	20.9%
CASS	6.6%	5.2%	15.9%	26.7%	12.5%	22.4%
CLAY	2.1%	4.4%	12.6%	13.7%	17.2%	15.2%
COTTONWOOD	1.0%	2.6%	12.9%	6.3%	3.6%	5.4%
CROW WING	2.6%	4.8%	11.5%	18.3%	14.9%	8.2%
DAKOTA	6.0%	4.5%	13.0%	15.9%	24.3%	17.8%
DODGE	5.8%	0.9%	19.6%	15.8%	9.6%	6.5%
DOUGLAS	3.5%	1.4%	9.0%	19.4%	21.2%	23.1%
FARIBAULT	1.5%	2.6%	9.1%	20.5%	21.0%	10.0%
FILLMORE	1.4%	7.6%	14.5%	10.6%	15.9%	10.7%
FREEBORN	4.1%	2.0%	7.6%	17.8%	11.5%	6.8%
GOODHUE	3.7%	5.4%	10.8%	10.9%	17.9%	16.7%
GRANT	7.4%	0.0%	0.0%	8.6%	23.1%	18.8%
HENNEPIN	4.6%	3.2%	12.7%	12.5%	22.0%	16.6%
HOUSTON	3.2%	2.0%	15.7%	23.2%	16.9%	15.7%
HUBBARD	6.1%	2.9%	16.1%	35.4%	18.6%	9.8%
ISANTI	5.9%	4.1%	13.5%	25.9%	22.9%	12.1%
ITASCA	5.9%	7.3%	15.4%	19.1%	26.5%	33.3%
JACKSON	2.1%	3.6%	7.0%	7.0%	21.1%	17.4%
KANDIYOHI	3.3%	3.4%	7.8%	13.2%	10.4%	18.6%
KITSON	3.8%	0.0%	9.5%	10.7%	19.2%	3.7%
KOOCHICHING	6.8%	6.5%	10.0%	22.4%	21.6%	27.5%
LAC QUI PARLE	1.8%	1.9%	14.3%	6.0%	10.9%	4.8%
LE SUEUR	6.5%	7.1%	13.1%	14.0%	32.2%	12.4%
LINCOLN	3.8%	0.0%	7.1%	2.8%	11.9%	0.0%
LYON	3.8%	0.7%	10.3%	12.3%	12.4%	4.6%
MCLEOD	7.8%	5.2%	9.2%	13.3%	21.4%	16.7%

	6TH GRADE		9TH GRADE		12TH GRADE	
	Male	Female	Male	Female	Male	Female
MARSHALL	0.0%	0.0%	3.7%	3.0%	9.8%	6.7%
MARTIN	1.3%	4.7%	20.8%	10.1%	25.0%	12.0%
MEEKER	4.4%	4.0%	7.6%	13.6%	6.4%	7.8%
MILLE LACS	7.5%	9.3%	13.5%	21.7%	16.4%	8.0%
MORRISON	8.1%	2.9%	22.2%	9.9%	27.6%	13.0%
MOWER	7.0%	3.4%	9.8%	12.6%	10.9%	13.8%
MURRAY	4.3%	1.9%	23.9%	14.0%	26.3%	17.4%
NICOLLET	4.8%	5.7%	15.0%	9.2%	9.8%	13.2%
NOBLES	5.2%	2.7%	4.9%	5.9%	12.8%	9.4%
NORMAN	4.1%	0.0%	17.1%	10.0%	17.9%	12.5%
OLMSTED	5.1%	4.4%	9.7%	13.5%	12.0%	10.4%
OTTER TAIL	3.2%	3.0%	13.9%	10.3%	13.8%	9.6%
PINE	10.7%	2.7%	23.8%	18.1%	17.7%	11.1%
PIPESTONE	4.1%	1.6%	10.9%	10.9%	16.3%	11.9%
POLK	5.5%	3.2%	10.8%	12.0%	17.8%	6.6%
RAMSEY	5.3%	4.2%	13.6%	15.1%	23.5%	15.6%
REDLAKE	4.2%	9.5%	0.0%	8.7%	4.8%	4.5%
REDWOOD	3.2%	7.6%	4.5%	4.2%	13.0%	3.4%
RENVILLE	4.3%	2.0%	17.5%	15.9%	5.8%	4.7%
RICE	5.1%	3.5%	11.2%	10.2%	14.0%	13.8%
ROSEAU	8.1%	4.0%	10.9%	18.3%	19.8%	12.1%
ST. LOUIS	5.9%	4.3%	13.8%	16.6%	23.2%	20.9%
SCOTT	3.6%	3.9%	14.1%	10.8%	24.0%	17.8%
SHERBURNE	6.3%	4.5%	11.0%	15.5%	23.0%	18.2%
SIBLEY	5.5%	6.2%	9.7%	11.1%	20.0%	11.4%
STEARNS	5.7%	4.0%	10.9%	11.0%	18.2%	11.5%
STEELE	5.6%	2.4%	7.5%	7.0%	8.5%	5.5%
STEVENS	0.0%	3.3%	12.2%	4.9%	8.1%	15.4%
TODD	3.5%	8.0%	5.9%	14.2%	17.0%	15.3%
WABASHA	4.8%	4.1%	8.9%	12.4%	21.4%	16.0%
WADENA	12.0%	2.9%	12.9%	12.8%	16.3%	8.7%
WASECA	3.4%	4.8%	5.9%	4.6%	10.3%	12.0%
WASHINGTON	4.9%	1.5%	14.6%	17.5%	26.3%	19.5%
WATONWAN	6.3%	5.2%	9.2%	11.3%	25.0%	23.0%
WILKIN	0.0%	2.1%	5.7%	20.4%	20.0%	8.6%
WINONA	3.3%	0.0%	17.1%	13.1%	21.4%	15.0%
WRIGHT	2.9%	3.3%	13.4%	15.5%	17.2%	17.0%
YELLOW MEDICINE	5.2%	4.9%	18.0%	18.8%	7.4%	5.8%
STATEWIDE	5.1%	3.9%	12.5%	20.1%	14.6%	15.5%

Substance: Drugs

Data Source: 2005 Probation Survey, MN Dept of Corrections

**ADULTS ON PROBATION IN MN FOR DRUG OFFENSE AS GOVERNING SENTENCE,
BY COUNTY IN WHICH OFFENSE OCCURRED (RATE PER 1000 POPULATION)**

	N(#)	Rate		N(#)	Rate		N(#)	Rate
AITKIN	78	4.81	ITASCA	127	2.87	POPE	30	2.67
ANOKA	977	2.99	JACKSON	21	1.88	RAMSEY	2098	4.07
BECKER	65	2.04	KANABEC	46	2.84	REDLAKE	14	3.24
BELTRAMI	122	2.86	KANDIYOHI	124	2.99	REDWOOD	22	1.37
BENTON	129	3.35	KITTSOON	11	2.30	RENVILLE	39	2.33
BIG STONE	3	0.55	KOOCHICHING	62	4.50	RICE	205	3.33
BLUE EARTH	55	0.94	LAC QUI PARLE	7	0.92	ROCK	11	1.15
BROWN	30	1.13	LAKE	20	1.79	ROSEAU	25	1.52
CARLTON	102	2.99	LAKE OF THE WOODS	4	0.90	ST. LOUIS	593	2.99
CARVER	214	2.51	LE SUEUR	42	1.51	SCOTT	5	0.04
CASS	125	4.33	LINCOLN	10	1.65	SHERBURNE	8	0.10
CHIPPEWA	25	1.96	LYON	64	2.57	SIBLEY	44	2.86
CHISAGO	138	2.79	MAHNOMEN	52	10.17	STEARNS	357	2.50
CLAY	157	2.91	MARSHALL	13	1.3	STEELE	65	1.82
CLEARWATER	21	2.48	MARTIN	71	3.38	STEVENS	16	1.63
COOK	12	2.24	MCLEOD	89	2.43	SWIFT	8	0.70
COTTONWOOD	27	2.28	MEEKER	36	1.54	TODD	39	1.58
CROW WING	186	3.09	MILLE LACS	116	4.53	TRAVERSE	2	0.52
DAKOTA	1306	3.34	MORRISON	90	2.74	WABASHA	43	1.92
DODGE	31	1.58	MOWER	78	2.00	WADENA	23	1.68
DOUGLAS	50	1.42	MURRAY	10	1.13	WASECA	22	1.13
FARIBAULT	42	2.71	NICOLLET	41	1.30	WASHINGTON	481	2.14
FILLMORE	24	1.12	NOBLES	48	2.34	WATONWAN	19	1.65
FREEBORN	122	3.82	NORMAN	9	1.27	WILKIN	17	2.50
GOODHUE	0	0.00	OLMSTED	313	2.29	WINONA	117	2.34
GRANT	12	1.97	OTTER TAIL	130	2.22	WRIGHT	361	3.26
HENNEPIN	3237	2.81	PENNINGTON	32	2.35	YELLOW MEDICINE	14	1.32
HOUSTON	1	0.05	PINE	2	0.07			
HUBBARD	52	2.76	PIPESTONE	23	2.42			
ISANTI	105	2.79	POLK	192	6.19	STATEWIDE	14009	2.69

Substance: Drugs

Data Source: 2005 Probation Survey, MN Dept of Corrections

**JUVENILES ON PROBATION IN MN FOR DRUG OFFENSE AS GOVERNING SENTENCE,
BY COUNTY IN WHICH OFFENSE OCCURRED (RATE PER 1000 POPULATION)**

	N(#)	Rate		N(#)	Rate		N(#)	Rate
AITKIN	4	0.25	ITASCA	56	1.26	POPE	1	0.09
ANOKA	39	0.12	JACKSON	1	0.09	RAMSEY	67	0.13
BECKER	5	0.16	KANABEC	2	0.12	REDLAKE	0	0.00
BELTRAMI	10	0.23	KANDIYOHI	6	0.14	REDWOOD	1	0.06
BENTON	5	0.13	KITSON	0	0.00	RENVILLE	0	0.00
BIG STONE	16	2.91	KOOCHICHING	2	0.15	RICE	21	0.34
BLUE EARTH	5	0.09	LAC QUI PARLE	0	0.00	ROCK	0	0.00
BROWN	3	0.11	LAKE	0	0.00	ROSEAU	4	0.24
CARLTON	0	0.00	LAKE OF THE WOODS	0	0.00	ST. LOUIS	16	0.08
CARVER	24	0.28	LE SUEUR	1	0.04	SCOTT	3	0.03
CASS	11	0.38	LINCOLN	0	0.00	SHERBURNE	4	0.05
CHIPPEWA	2	0.16	LYON	7	0.28	SIBLEY	2	0.13
CHISAGO	2	0.04	MAHNOMEN	0	0.00	STEARNS	17	0.12
CLAY	19	0.35	MARSHALL	1	0.10	STEELE	1	0.03
CLEARWATER	1	0.12	MARTIN	2	0.10	STEVENS	5	0.51
COOK	0	0.00	MCLEOD	3	0.08	SWIFT	3	0.26
COTTONWOOD	2	0.17	MEEKER	5	0.21	TODD	2	0.08
CROW WING	17	0.28	MILLE LACS	2	0.08	TRAVERSE	0	0.00
DAKOTA	89	0.23	MORRISON	8	0.24	WABASHA	3	0.13
DODGE	3	0.15	MOWER	7	0.18	WADENA	3	0.22
DOUGLAS	2	0.06	MURRAY	0	0.00	WASECA	2	0.10
FARIBAULT	2	0.13	NICOLLET	9	0.29	WASHINGTON	16	0.07
FILLMORE	4	0.19	NOBLES	0	0.00	WATONWAN	0	0.00
FREEBORN	10	0.31	NORMAN	2	0.28	WILKIN	7	1.03
GOODHUE	14	0.30	OLMSTED	13	0.10	WINONA	14	0.28
GRANT	2	0.33	OTTER TAIL	13	0.22	WRIGHT	38	0.34
HENNEPIN	167	0.15	PENNINGTON	2	0.15	YELLOW MEDICINE	1	0.09
HOUSTON	7	0.35	PINE	4	0.14			
HUBBARD	4	0.21	PIPESTONE	2	0.21			
ISANTI	4	0.11	POLK	5	0.16	STATEWIDE	857	0.16

Substance: Drugs

Data Source: MN Dept of Corrections, Adult Inmate profiles

**ADULT PRISON INMATES IN MN SENTENCED FOR DRUG OFFENSES,
BY COUNTY IN WHICH OFFENSE OCCURRED (RATE PER 1000 POPULATION)**

Adult inmates in prison on 1/1/06 with drug offense as governing sentence								
	N(#)	Rate		N(#)	Rate		N(#)	Rate
AITKIN	9	0.56	ITASCA	16	0.36	POPE	4	0.36
ANOKA	65	0.20	JACKSON	4	0.36	RAMSEY	325	0.63
BECKER	9	0.28	KANABEC	14	0.86	REDLAKE	1	0.23
BELTRAMI	10	0.23	KANDIYOHI	23	0.55	REDWOOD	12	0.75
BENTON	19	0.49	KITTSOON	N/A		RENVILLE	10	0.60
BIG STONE	3	0.55	KOOCHICHING	6	0.44	RICE	14	0.23
BLUE EARTH	20	0.34	LAC QUI PARLE	N/A		ROCK	5	0.52
BROWN	11	0.41	LAKE	4	0.36	ROSEAU	8	0.49
CARLTON	6	0.18	LAKE OF THE WOODS	1	0.23	ST. LOUIS	80	0.40
CARVER	10	0.12	LE SUEUR	27	0.97	SCOTT	25	0.22
CASS	14	0.49	LINCOLN	3	0.49	SHERBURNE	30	0.36
CHIPPEWA	17	1.33	LYON	16	0.64	SIBLEY	13	0.85
CHISAGO	19	0.38	MAHNOMEN	7	0.19	STEARNS	75	0.53
CLAY	43	0.80	MARSHALL	6	1.17	STEELE	14	0.39
CLEARWATER	5	0.59	MARTIN	27	2.72	STEVENS	3	0.31
COOK	1	0.19	MCLEOD	24	1.14	SWIFT	2	0.17
COTTONWOOD	7	0.59	MEEKER	11	0.47	TODD	12	0.49
CROW WING	40	0.66	MILLE LACS	20	0.78	TRAVERSE	1	0.26
DAKOTA	114	0.29	MORRISON	20	0.61	WABASHA	10	0.45
DODGE	12	0.61	MOWER	23	0.59	WADENA	9	0.66
DOUGLAS	11	0.31	MURRAY	10	1.13	WASECA	7	0.36
FARIBAULT	10	0.65	NICOLLET	7	0.22	WASHINGTON	49	0.22
FILLMORE	7	0.33	NOBLES	17	0.83	WATONWAN	4	0.35
FREEBORN	27	0.85	NORMAN	2	0.28	WILKIN	5	0.73
GOODHUE	9	0.20	OLMSTED	97	0.71	WINONA	40	0.80
GRANT	1	0.16	OTTER TAIL	14	0.24	WRIGHT	38	0.34
HENNEPIN	274	0.24	PENNINGTON	9	0.66	YELLOW MEDICINE	11	1.04
HOUSTON	3	0.15	PINE	31	1.09	NON MN CTY	7	N/A
HUBBARD	4	0.21	PIPESTONE	10	1.05			
ISANTI	15	0.40	POLK	51	1.64	STATEWIDE	2109	0.41